Spinnerin



The
New
Wee Moderns
INFANTS AND TODDLERS

SPINNERIN YARN

Volume 232
Price $1.50

Timely Tips

Volume 232
Editor, Liz Blackwell
Fashion Director, Bonita Bray

WHY IS GAUGE SO IMPORTANT?
Because the gauge given in each set of instructions determines the size. If you do not get the gauge as given, your garment can be either too small or too large.

IS ROW GAUGE OF GREAT IMPORTANCE?
In many styles, yes—as important as stitch gauge. For example, any raglan sleeve style is worked by rows, to determine the correct length. If your row gauge is not correct, your raglan seam can be far too short, or far too long. For a style worked only in stockinette stitch, row gauge is of less importance, since you can work all length measurements in inches. But row gauge also determines the texture of your knit and you should always make an effort to get the exact row gauge as given.

WHY IS NEEDLE SIZE LESS IMPORTANT?
Because people knit quite differently. Some knit tightly, some loosely; some use short needles, some use long needles; some prefer aluminum needles, and others like plastic needles. A needle size is always given with each set of instructions, determined from average knitters. **IF YOU CANNOT GET GAUGE GIVEN — TRY A SMALLER OR LARGER SIZE—until you do get the correct gauge.**

IS THE SIZE OF A CROCHET HOOK IMPORTANT?
Absolutely. All the rules for gauge and measurement given for knitting apply in exactly the same way to crochet. Crochet instructions are worked out by the gauge given in each set of instructions. If you cannot get the gauge with the suggested hook, change to a larger or smaller size.

CASTING ON
Most of us use the one needle cast on and this is certainly the quickest method. However, this cast-on has a definite right and wrong side. If you are casting on for ribbing, use two needles, knitting the sts on BUT—once you have 2 sts on the needle, from then on insert the right needle BETWEEN two sts (rather than through a stitch). This gives you a very elastic edge, wonderful for ribbing and the same on both sides.

With all the checking we do, there are times when an error slides by and gets into print. For this we apologize and ask that if you are ever in doubt about any Spinnerin instructions, stop then and there and write to the Fashion Dept., 230 Fifth Ave., New York, N.Y. 10001. You'll have a reply by return mail.

Yours for happier knitting and crocheting.

Liz

BINDING OFF
Many knitters bind off more tightly than they knit. Try using a larger size needle. This is especially wise to do when binding off the neck ribbing of a slip-on sweater. Also, when making a slip-on, when you come to the first row of the neck shaping, rather than binding off the center sts, take them off on a holder, picking them up later for the neck rib. This will give more stretch.

HOW TO SELECT THE CORRECT SIZE
Children come in as many shapes and sizes as adults with a great difference in any one age group in both height and measurements. The directions in this book are based on standard body measurements.
HOWEVER — each set of instructions gives the FINISHED MEASUREMENTS, and these are the figures you should go by to determine just which size will fit your youngster the best. Our suggestion is that you actually take measurements from a properly fitting garment already in the childs wardrobe and use these figures as a guide.

ABBREVIATIONS

K	knit
P	purl
st	stitch
sk	skip
sl	slip
inc	increase
dec	decrease
tog	together
yo	yarn over
psso	pass sl st over
ch	chain
sc	single crochet
dc	double crochet
tr	triple crochet
hdc	half double crochet
sp	space
lp	loop
grp	group
b	back
Tch	turning chain
pat	pattern
beg	beginning
rep	repeat
rnd	round
MC	Main Color
CC	Contrast Color
dp	double point needle
St St	Stockinette st

Stockinette St is worked by K 1 row, P 1 row.

To work even means to work without inc or dec.

*means repeat intructions following the * as many more times as specified, in addition to the first time.

( ) means repeat the instructions enclosed in the parentheses as many times as indicated by the number immediately following.

Copyright 1975 Spinnerin Yarn Company, Inc. South Hackensack, N.J. 07606, U.S.A.

Price $1.50 in U.S.A. $1.75 in Canada $2.00 in other countries

Photography, Walter Herstatt Studio Buttons: La Mode
Toys: Courstey of Reeves International, Inc., New York City

Sacque and Afghan

(Shown on front cover)

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 9 balls MC for afghan, 2 balls MC for Sacque and 1 ball CC for both
CROCHET HOOK: "Boye or Diana" Size G
OR SIZE TO GIVE GAUGE
GAUGE: 2 star stitches = 1 inch
1 row = inch

STAR STITCH PATTERN - Make chain of given number of sts.
Row 1 (right side): Insert hook in 2nd ch from hook and draw up a 1-inch lp, draw up a 1-inch lp in each of next 4 ch, yo and thru all 6 lps, ch 1 to form eye of star st; * draw up a lp in eye of star st, in back of last lp of last star st, in same ch as last lp of last star st, draw up a lp in each of next 2 ch, yo and thru 6 lps, ch 1 for eye; rep from * to last ch, dc in last ch. Ch 2, turn.
Row 2: Work 2 hdc in eye of each star stitch, dc in corner of last star st. Ch 3, turn.
Row 3: Draw up a lp in 2nd and in 3rd ch from hook, draw up a lp between dc and first hdc, (draw up a lp between next 2 hdc) twice, yo and thru 6 lps on hook, ch 1; * draw up a lp in eye of star st, in back of last lp of last star st, in same place as last lp of last star st, (between next 2 hdc) twice, complete star st; rep from *, end draw up a lp in eye of star st, in back lp of last star st, in same place as last lp of last star st, between next 2 hdc, between last hdc and turning ch, complete star st, dc in top of Tch. Ch 2, turn.
Row 4: Rep Row 2. Rep Rows 3 and 4 for Pat.

AFGHAN

With MC chain 159 to measure 39 inches. Work in pat (77 Star sts) to approx 39 inches from beg. Fasten off.

BORDER: Join CC between any 2 hdc of last row.
Rnd 1: From right side, work 1 sc in each hdc to corner, in corner work sc, ch 1, sc; continue sc on side edge, spacing sts to keep edge flat, sc, ch 1, sc in corner, working over foundation ch, work 2 sc in each star st (between lps) to corner; continue around working corners as before and having same number of sc on corresponding sides. Join with a sl st to first sc.
Rnd 2: Ch 2, hdc in same place with joining, (yo, insert hook from front to back between hdc and ch-2, draw up a lp) 3 times, yo and thru 7 lps, ch 1 (cluster worked around hdc), * sk 1 sc, hdc in next sc, work cluster around last hdc; rep from * around (sk an extra st if necessary) to work a cluster in ch-1 of corners. Join with a sl st to top of ch-2. Fasten off.

SACQUE

BODY: With MC chain 81 to measure 20 inches. Work Star St Pat for 8 inches, end with Row 2. Do not break yarn, draw up lp and lay aside.

SLEEVES (Make 2): With MC ch 33 to measure 8 inches. Work Star St Pat for 7 inches, end with Row 2. Fasten off.

YOKE: Draw CC thru lp left on body, ch 1, turn.
Row 1: From right side work sc in dc and in each of next 15 hdc (16 sc for front), * sk 3 sts of last row of sleeve, sc in each of next 23 sts, leave 3 sts unworked; sk 6 hdc of body for underarm, sc in each of next 33 hdc (back), sk 3 sts of second sleeve, sc in each of 23 sts, leave 3 sts unworked, sk 6 sts of body for underarm, sc in each of last 16 sts (front). 111 sc. Ch 1, turn at end of every row.
Row 2: Sc in each of 2 sts, * draw up a lp in each of next 2 sts, yo and thru 3 lps on hook (1 st dec), sc in each of 2 sts; rep from *, ending sc in last st. 84 sts. Draw MC thru lp on hook.
Row 3: Sc in each sc.
Row 4: Sc in each of 2 sts, * dec, sc in each of next 9 sts; rep from *, ending last rep sc in each of last 3 sts. 76 sc. Continue to alternate 2 rows MC, 2 rows CC.
Row 5: Sc in each sc.
Row 6: Sc in each of 7 sts, dec, * sc in each of 8 sts, dec; rep from *, end sc in each of 7 sts, 69 sts. Continue stripes, dec 7 sts every 2nd row 3 times more. 48 sts. Fasten off.

EDGING: With MC from right side, work 1 row sc on lower edge of Sacque. Fasten off.
Row 1: With CC from right side and beg at lower right front edge, work sc on front edge to neck, sc, ch 1, sc in corner, sc in each st on neck edge, work corner and left front edge to correspond. Fasten off.
Row 2: Join CC in first sc of Row 1, work Row 2 of border (as on afghan) on fronts and neck edges. Fasten off. On lower edge of sleeves, work 2 border rows in CC, dec 4 sts evenly spaced on first (sc) row.

CORD: With CC ch 100. Sl st in 2nd ch from hook and in each ch to end. Fasten off.

FINISHING: Sew sleeve seams. Sew free sts at top of sleeves to free sts at underarm. Draw cord thru 2nd border row. Make 2 small tassels and sew to ends of cord.

AFGHANS

Blue and White

Approximate Size 40 x 48 inches (without fringe)

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 11 balls **AND** a few yards each of blue and yellow or desired colors for embroidery
AFGHAN HOOK: "Boye or Diana" 24-inch or flexible Size G **OR SIZE TO GIVE GAUGE**
GAUGE: (Afghan St) 9 sts = 2 inches
7 rows = 2 inches
(Star St) 1 row = 1 inch

AFGHAN

Chain 181 to measure 40 inches.
Work in Basic Afghan St for 18 rows.

Star St Row 1 - First Half: Ch 3, draw up a lp in 2nd ch and in next ch, draw up a lp in each of first 3 bars (6 lps on hook), yo and thru all lps, ch 1 to from eye of star st, * draw up a lp in eye of star st, in back of last lp of last star, in same bar as last lp of last star and in each of next 2 bars, yo and thru 6 lps on hook. Ch 1 to form eye of star. Rep from * to end. (90 star sts).

Star St Row 1 - Second Half: Ch 2, turn, hdc in eye of first star, * 2 hdc in eye of next star; rep from *, end sc in top of ch of first star. Turn.

Next Row - First Half: Retaining lps on hook, draw up a lp between sc and first hdc, * between next 2 hdc; rep from * to last hdc, sk last hdc, draw up a lp in top of ch-2. 181 lps.

2nd Half: Work off lps.
Work 4 rows Afghan St, 1 row Star St; 7 rows Afghan St, 1 Row Star St, 5 rows Afghan St, 1 Row Star St, 42 rows Afghan St, center of afghan. Work other half to correspond, reversing order of rows ending with 5 rows of afghan st. Bind off. Work 1 row sc on each long edge.

Embroidery: On each 5 row afghan strip embroider 4 petal flowers in lazy daisy stitch, having 2 bars between daisies. Make french knot in center of each daisy.

FRINGE: Wrap yarn around a 7-inch cardboard. Cut at one end. Fold 4 strands in half, insert hook from wrong side, draw fold thru, draw cut ends thru fold and tighten knot on wrong side. Knot a fringe in first and every 4th st on ends. Tie for triple knot fringe following diagrams.

White and Pink

Approximate Size 41 inches square

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 11 White (W) and 2 Pink (P)
CROCHET HOOK: "Boye or Diana" Size E **OR SIZE TO GIVE GAUGE**
GAUGE: 5 clusters = 2 inches
2 rows = 1 inch

AFGHAN

With W chain 190 to measure 42 inches.

Foundation Row: (Yo, draw up a ½ inch lp in 4th ch from hook) 3 times, yo and thru 6 lps, yo and thru 2 lps, * ch 1, sk 1 ch, (yo, draw up a ½ inch lp in next ch) 3 times, yo and thru 6 lps, yo and thru 2 lps (cluster made); rep from * to end. Ch 3, turn. 94 clusters. Join P.

To Work With 2 colors: Always work over color not in use.

To change colors: Complete cluster, draw new color thru lp on hook (this forms ch-1 between clusters).

NOTE: Clusters (**CL**) are **always** worked in spaces between clusters of previous row. Beg each row with first cluster in sp between first 2 clusters and end each row with cluster in sp between last cluster and ch-3. Ch 3, turn at end of every row.
Row 1: 6 W **CL**, * 2 P **CL**, 6 W **CL**; rep from * to end.
Row 2: 5 W **CL**, * 1 P **CL**, 1 W **CL**, 1 P **CL**, 5 W **CL**; rep from * to end.
Row 3: Same as Row 1.
Row 4: Work entire row with W.
Row 5: 10 W **CL**, then rep from * of Row 1, ending last rep with 10 W **CL**.
Row 6: 9 W **CL**, rep from * of Row 2, ending last rep with 9 W **CL**.
Row 7: Same as Row 5.
Row 8: Work entire row with W.
Rep these 8 rows for pat.

Work until there are 78 rows counting foundation row. Last row will be W only. Fasten off.

BORDER: Join W at beg of foundation chain. Sc in same sp, ch 2; along side edge work sc in top of cluster of first row, * ch 2, sc over ch of next row, ch 2, sc in top of cluster of next row, rep from * to top of last row. Fasten off. Beg at opposite corner of last row, work sc and ch on other side to correspond, do not fasten off.
Row 1: Ch 3, 2 dc in same st as last sc, dc in each ch of foundation ch, 3 dc at corner, 2 dc in each ch-2, continue on other 2 sides to correspond. Join with sl st to top of ch-3. Ch 1, do **not** turn.
Row 2: From left to right, work sc in each st (backward sc). Ch 2, turn.
Row 3: Work dc between each dc of Rnd 1. Join with a sl st to top of ch-2. Ch 1.
Row 4: Rep Row 2.
Rows 5 and 6: Rep Rows 3 and 4. Ch 2, turn.
Row 7: Work hdc between each dc of last dc row. Join and, fasten off.

Yellow

Approximate Size 32 x 32 inches

MATERIALS - Knitting Worsted Weight
SPINNERIN Sweater and Afghan yarn (2-oz) 6 Yellow (Y), 2 White (W) and 1 each Orange (O) and Green (G)
AFGHAN HOOK: "Boye or Diana" Size F **OR SIZE TO GIVE GAUGE**
GAUGE: 9 sts = 2 inches
7 rows = 2 inches

Afghan is worked in 1 piece in afghan stitch. Design is worked in Cross Stitch following chart when afghan is completed.

AFGHAN

With Afghan Hook and Y chain 135 to measure 30 inches.
Work in Basic Afghan Stitch for 105 rows.
Bind off.

BORDER: With F hook, join W in center of foundation chain. From right side, work 1 sc in each st and row around, working 3 sc at corners. Join with a sl st to first sc. Ch 1, do **not** turn.
Rnds 2 and 3: Sc in each sc, 3 sc in corners. Join with a sl st to first sc.
Rnd 4: Ch 3. Dc in same sc as joining, * sk 1 sc, in next sc work dc, ch 1, dc for V st; rep from * to within 1 st of corner st (adjusting if necessary) to have 3 sc at corner, V st in center sc; rep from * around. Join with a sl st to 2nd ch of ch-3. Ch 1. *(Continued on page 6)*

Green, Yellow and White Afghan

Approximate Size 37 X 46 inches
MATERIALS - Knitting Worsted Weight
SPINNERIN Sweater and Afghan Yarn (2-oz) 5 White (A), 3 Green (B) and 1 Yellow (C)
HAIRPIN LACE FORK: 2-inches wide
Crochet Hook: "Boye or Diana" Size H
GAUGE: 1 large motif = 5¼ inches diameter

Make 40 motifs with green centers and 23 motifs with yellow centers

CENTER OF MOTIF: Following instructions that come with fork, make strip of hairpin lace with 32 lps on each side. Pull a strand of yarn thru 32 lps on one side, draw tightly and fasten off. Form a circle by sewing ends thru center sc of hairpin lace.

LARGE MOTIF: With A, pick up 2 lps and sc tog (making sure there is a twist on the lps), * ch 3, pick up 2 lps and sc tog; rep from * around, end ch 3, sl st in first sc. Do **not** fasten off.
Rnd 2: * 3 sc in first ch-3 sp, ch 1; rep from * around, sl st in first sc.
Rnd 3: Sl st to first ch-1 sp, ch 3, in same sp work dc, ch 2, 2 dc, ch 1; 2 dc in next ch-1 sp, ch 1; * in next ch-1 sp work 2 dc, ch 2, 2 dc, ch 1; 2 dc in next ch-1 sp; rep from * 6 more times, join with sl st to top of ch-3. Sew motifs tog as indicated on chart.

FILL-IN MOTIF - Rnd 1: Ch 6, join with sl st to form ring. Ch 4, * 1 dc in ring, ch 1; rep from * 6 times, join with sl st to 3rd ch of ch-4.
Rnd 2: Sl st in first ch-1 sp, * ch 3, sl st in ch-1 sp of large motif; ch 3, 1 sc in next ch-1 sp of fill-in motif, ch 3; sl st in next ch-1 sp of large motif, ch 3, sc in next ch-1 sp of fill-in motif; rep from *, joining fill-in motif to 3 more large moftifs. Complete afghan in this manner.

EDGING: With A, work 1 rnd sc around entire afghan, working sc, ch 1, sc in every corner and skipping 2 sc where motifs are joined. Join and fasten off. Work a rnd with C in same manner, then a rnd with B. Weave in ends.

A—WHITE—(MC) OUTSIDE MOTIF & FILLER MOTIF
B—GREEN—CENTER MOTIFS
C—YELLOW—CENTER MOTIFS



YELLOW AFGHAN *(Continued from page 5)*

Rnd 5: Sc between V sts and sc in ch-1 sp of V st with 3 sc in ch-1 sp at corners. Join. Ch 1.
Rnds 6 and 7: Rep Rnds 2 and 3. Join and fasten off.

FINISHING: Steam.

Embroidery: One Cross st is worked over 1 afghan st bar. Beg at first row, follow chart for 105 rows. Sew in all ends.

▲ = White
△ = Orange
○ = Green
□ = Yellow



White with Cross Stitch

Approximate size 26 x 29 inches (including border).

MATERIALS: Knitting Worsted Weight
SPINNERIN Sweater and Afghan Yarn (2-oz) 5 MC and 1 each Rose, Pink, Green
AFGHAN HOOK: "Boye or Diana" 14-inch Size H
OR SIZE TO GIVE GAUGE
Crochet Hook: "Boye or Diana" Size F
GAUGE: 5 sts = 1 inch
4 rows = 1 inch

Worked in afghan stitch with crochet border. Designs are then worked in cross stitch, following chart.

CARRIAGE COVER

With afghan hook chain 119 to measure 24 inches (lower edge). Work for 109 rows. Bind off. Block.

EMBROIDERY: Beg outer border on 4th bar from side and 3rd row from lower edge. Work cross st over each bar, ending on 4th bar in from opposite side; continue border around entire afghan. **Flowers:** Mark center bar at lower edge. Work chart from right to left to corner and up side to end of chart. Sk next bar and rep chart in reverse, with last st worked on bar before center bar at top. Sk center bar at lower edge and work pat from left to right as before.

BORDER—Rnd 1: With crochet hook from right side, beg at bound off edge, work 1 sc in each bound-off st, 3 sc at corner, sc in each row on side edge, 3 sc at corner. Continue on other 2 edges to correspond. Join with a sl st. Fasten off. **Rnd 2:** Ch 4, sk first 2 sc, dc in next sc, * ch 1, sk 1 sc, dc in next sc; rep from *, working dc, ch 1, dc, ch 1 in each corner sc and ending ch 1, sk 1 sc, join with a sl st to 3rd ch of ch-4. Ch 1, turn.
Rnd 3: Sc in each sc and each ch-1 sp. Join, ch 1, turn.
Rnd 4: Sc in each sc, 3 sc at corners. Join, ch 1, turn.
Rnd 5: * Sc in each of 5 sc, ch 2, insert hook in front loop of last sc and in upright loop of same sc, draw loop thru 3 loops on hook (picot); rep from * around. Join, fasten off.

o = Pink
● = Olive
\+ = Dark Rose



Green Cardigan and Cap

Instructions are for infant size. Changes for Size 1 are in parentheses
MATERIALS Sport Yarn Weight
SPINNERIN Sport (2-oz) 2 balls
Buttons, ¼ inch satin ribbon
CROCHET HOOK: "Boye or Diana" Size F
OR SIZE TO GIVE GAUGE
GAUGE: 11 sc = 2 inches
6 rows = 1 inch
5 clusters = 2 inches
4 rows = 2 inches

FINISHED MEASUREMENTS (in inches)
Chest (buttoned) 20 (22)

CARDIGAN

BODY: With double yarn chain 98(108) to measure 20(22) inches. Break off 1 strand and work with 1 strand only.
Row 1: Sc in 2nd ch from hook and in each ch to end. 97(107) sc. Ch 1, turn.
Row 2: Sc in each sc. Ch 1, turn.
Rep last row 5 times. Ch 2, turn at end of last row.
Row 8: Insert hook in first sc, draw lp thru, sk 1 st, yo, draw up a lp in next sc, yo and thru 4 lps on hook. Ch 1 (cluster made). * Draw up a lp in same sc as last lp of last cluster, sk 1 sc, yo, draw up a lp in next sc, yo and thru 4 lps on hook , ch 1 to form eye of cluster; rep from * to end. Ch 2, turn. 48(53) clusters.
Row 9 (right side): Draw up a lp in eye of first cluster, yo, draw up a lp under 2 strands at left of eye, complete cluster, * draw up a lp in eye of next cluster, yo, draw up a lp under 2 strands at left of eye, complete cluster; rep from * to end. Ch 2, turn. Rep last row for cluster pat. Work to 6½(7½) inches from beg, or desired length to underarm, ending with a row worked from wrong side.

RIGHT FRONT: Work pat over 9(10) clusters, ch 2, turn. Working on these sts only, work 2 rows more. Ch 1 at end of last row.
Yoke: Sc in eye and under 2 strands at left of eye of each cluster. Ch 1, turn. 18(20) sc.
Work 9(11) rows of 1 sc in each sc, ch 1, turn at end of every row, end at armhole edge.
Neck: Work 14(16) sc, ch 1, turn. Work 1 row even.
Next Row: Work 12(14) sc. Ch 1, turn. Work 1 row even.
Next Row: Work 10(12) sc. Ch 1, turn. Continue to work rows of sc until armhole measures approx 3½(3¾) inches, ending at neck edge.
Shoulder: Sc in each of 5(6) sts, sl st in each st to end. Fasten off.

BACK: Skip 6(7) clusters of last complete row of body for underarm. Join yarn in eye of next cluster to work first row from right side. Ch 1. Work 3 rows cluster pat on 18(19) cluster.
Yoke: Sc in eye and under 2 strands at left of eye of next 18(19) clusters. Then work rows of 36(38) sc as on front until armholes are same length as front armhole, ending at armhole edge.
Shoulders: Sl st in each of 5(6) sc, sc in each of next 5(6) sc. Fasten off. Join yarn to 11th sc from other end, sc in each of 5(6) sc, sl st in last 5(6) sc. Fasten off.

LEFT FRONT: Skip 6(7) cluster for underarm and work left front to correspond to Right Front.

SLEEVES: With double yarn, chain 32(36) to measure 6½(7) inches. Break off 1 strand.
Work as on body until the sleeve measures 7(7½) inches from beg, or desired length to underarm. Place a marker at beg and end of last row.
Cap: Work 4(6) rows more in pat. Fasten off.
Sew side edges of cap to clusters skipped for underarm. Sew last row of cap to armhole.

FINISHING: Sew shoulder seams.
Buttonhole Band: From right side, beg at lower right front edge, work sc on front edge to neck, spacing sts to keep edge flat. Ch 1, turn.
Work 3 rows of 1 sc in each sc. Ch 1, turn at end of every row.
Mark places on band over 1 sc for buttonholes, first marker over 3rd sc from neck edge, others evenly spaced.
Row 5: * sc in each sc to marker, ch 2, sk 1 sc; rep from * until all buttonholes are made, sc in each sc to end. Ch 1, turn.
Row 6: Sc in each sc and ch-2 sp. Ch 1, turn.
Row 7: Sc in each sc, 3 sc at corner, 5 sc across band, continue sc around neck, working 13(15) sc on neck edge to shoulder, 23 sc across back of neck and 13(15) sc to left front neck edge, continue sc on left front, working same number sc as on right front edge. Ch 1, turn.
On left front edge only, work 4 rows of 1 sc in each sc. Ch 1, turn at end of every row. Fasten off.

COLLAR: From right side join yarn to right front neck edge at center of band.
Row 1: Ch 2, work cluster pat ending at beg of left front band. Ch 2, turn. Work 2 cluster rows more.
Row 4: Work 2 clusters, work cluster between last and next cluster (1 cluster inc).
Continue pat to last 2 clusters, inc 1 cluster, pat to end.
Work 4 rows even. Fasten off.
Sew on buttons. Tack ribbon under collar for front ties. Weave ribbon thru 3rd cluster row of sleeves as shown.

CAP

Chain 3, join with a sl st to first ch to form a ring.
Rnd 1: 6 sc in ring. Do not join; mark end of rnds.
Rnd 2: 2 sc in each sc. 12 sc.
Rnd 3: * Sc in next sc, 2 sc in next sc, rep from * around. 18 sc.
Rnd 4: * Sc in each of 2 sc, 2 sc in next sc; rep from * around. 24 sc. Continue in this way to inc 6 sts every rnd (taking care that incs do **not** come directly over incs of previous rnd), until there are 72(84) sc in rnd. Ch 2, turn. Work even until diameter is approx 5(5½) inches.
Next Row: Work 28(32) clusters, leaving 15(19) sts for center back, ch 2, turn. Work 6(8) rows more. Ch 1, turn.
Next Row: Work sc across clusters as on body, 57(65) sc.
Next Row: Work sc, dec evenly to 49(55) sc. Ch 3, turn.
Next Row: Thru **back** lp only, work 2 dc in first sc; sk 2 sc, sc in next sc, sk 2 sc, in next sc work (3 dc, ch 3, 3 dc) shell; rep from *, end 3 dc in last sc. Fasten off.
Hold cap with righ side facing and front edge away from you. Hold shells flat against cap and join yarn to back lp of first sc of front edge. Thru **back** lp, work sc in each sc. Ch 1, turn. Work sc in each sc. Fasten off.
Back Band: From wrong side beg at front edge, work sc in end of each row to sts for back, sc in each st across back, sc in each row to front edge. Ch 1, turn. Work 2 rows of sc holding to desired fit. Fasten off.
Sew ties to cap as shown.

WEE WOOLIES

Style 1 - Red, Yellow and White

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 1 each Red (R), Yellow (Y) and White (W)
1 small button
NEEDLES: "Boye or Diana" No. 4 **OR SIZE TO GIVE GAUGE**
GAUGE: 13 sts = 2 inches
12 rows = 1 inch
PATTERN STITCH - Garter Stitch (K every row)

CAP

With R cast on 2 sts for beg of chin strap.
Row 1: Inc 1 st in each st. 4 sts.
Row 2: Inc in first st, K 2, inc in last st. 6 sts.
Row 3: K 2, bind off next 2 sts for buttonhole, K to end.
Row 4: K, casting on 2 sts over bound-off sts. K 42 rows on 6 sts. This completes strap.

RIGHT EAR LAP - Row 1: K 2, inc 1 st in each of next 2 sts, K 2. 8 sts.
Row 2: Knit.
Row 3: K 2, inc 1 st in next st, K to last 3 sts, inc 1 st in next st, K 2. 10 sts.
Rep last 2 rows 4 times more, end with an inc row and 18 sts.
Cast on 8 sts for back edge.
Next Row (right side): K 26 sts.
Next Row: K 2, inc, K to end.
Continue to inc 1 st at front edge every 2nd row 4 times more, end at front edge. Break yarn and place 31 sts on holder.

LEFT EARLAP: Cast on 6 sts for strap. K 6 rows. Work same as right earlap until there are 18 sts on needle. K 1 row, cast on 8 sts at end of row for back edge. Complete to correspond to right earlap, inc for front at **end** of right side rows. End at front edge and cast on 18 sts.
Sl sts from holder to free needle, to beg at front edge, K across right earlap. K 4 rows on 80 sts. Cut R, K 4 rows W. Cut W. K 40 rows Y.
First Dec Row: * K 2 tog, K 8; rep from * to end. 8 decs.
Continue to dec 8 sts every 4th row, (having 1 st less between decs every dec row) twice more. 56 sts. Dec 8 sts every 2nd row 3 times. 32 sts. K 2 tog across row. 16 sts. Cut yarn, leaving an end. Thread into tapestry needle, draw tightly and fasten. Sew back seam. Make a large pompon using all colors and sew to top of cap.

BOOTIES

SOLE: With R cast on 31 sts. Make center st.
Row 1: Knit.
Row 2: K 1, insert left needle under strand between last st and next st on left needle to form a loop, K thru **back** of this loop (1 st inc), K to marked st, inc 1, K center st, inc 1, K to last st, inc 1, K 1. (4 sts inc).
Rep these 2 rows 4 times more (51 sts).
K 14 rows.

INSTEP - Row 1 (right side): K 21, place marker on needle, K 9; place marker on needle, K to end. Sl markers every row.
Row 2: K to 2 sts before first marker, K 2 tog b, K 9, K 2 tog, K to end.
Row 3: Knit.
Rep the last 2 rows 4 times more. 16 sts each side of center 9 sts.
Next Row: K 14, K 2 tog; join Y and K 9; join 2nd ball R, K 2 tog, K to end. When changing colors, pick up color to be used under color previously used twisting yarns to prevent holes. Matching colors, continue to dec 1 st before first marker and after 2nd marker 6 times more (9 sts each side of center 9 sts), end with wrong side row.Cut Y. With R only, K 9, cast on 5 sts (center edge) for strap, K 2 rows on 14 sts.
Next Row: K 2, yo (eyelet for cord), K 2 tog, K to end. K 2 rows. Bind off 14 sts. Place center 9 sts of instep on holder. On free needle cast on 5 R sts, work across 9 R sts on needle. Complete right strap same as left strap.

LEG: With Y from wrong side, beg at left back edge, pick up 1 st in each of 9 sts on foot below strap. K across 9 sts of instep, pick up 9 sts on right back as on left back. 27 sts. K 8 more rows, drop Y, * K 4 rows W, 4 rows R, 4 Rows Y, rep from * once; K 4 rows W, 3 rows R. Bind off as to K.

FINISHING: Sew back seam.
Twisted Cord: Cut 3 strands R 24 inches long. Make a tightly twisted cord, (see page 16). Draw ends thru eyelets. Tie knot at each end for desired length. Trim ends.

MITTENS

With R cast on 34 sts. K 8 rows, cut R. K 8 rows Y, cut Y.
Beading Row: With W, * K 2 tog, yo, rep from * ending yo, K 2. K 3 rows W. Continue stripe pat of 4 rows R, 4 rows Y, 4 rows W until there are 3 Y stripes above W beading stripe.
First Dec Row: * With W, K 1, K 2 tog; rep from *, end K. Rep dec row twice more. K 1 row W, 1 row R. Cut yarn leaving an end. Thread into tapestry needle, draw thru sts tightly and fasten. Sew back seam. Make a twisted cord (as for bootie) and draw thru beading.

Style II - Yellow Set

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 1 ball
NEEDLES: "Boye and Diana" No. 4 **OR SIZE TO GIVE GAUGE**
GAUGE: 16 sts = 2 inches
18 rows = 2 inches
PATTERN STITCH I - Worked on an even number of sts.
Row 1 (right side): * With yarn at **front** sl 1 as to P, P 1; rep from * to end.
Row 2: Purl.
Row 3: * P 1, with yarn at **front** sl 1 as to P; rep from * to end.
Row 4: Purl. Rep these 4 rows for Pat I.

PATTERN II - Worked on an even number of sts
Row 1 (right side): * K 1, insert needle in next st in row below and K the st; rep from *, end K 2. Rep Row 1 for Pat II.

CAP

Cast on 64 sts for front hem. P 1 row. Work in St St (K 1, row, P 1 row) for 6 rows. P next row on right side for turning ridge. Beg with a K row, work St St for 6 rows more. (Work Pat I for 10 rows; St St for 6 rows) twice. Work Pat I for 10 rows.
Back Piece: Bind off 21 sts, K until 22 sts on right needle, bind off last 21 sts. Cut yarn. Work on 22 sts of back as follows: Beg with a P row, work 5 rows St St, end with a P row. Alternating bands of Pat I and St St as before, dec 1 st each side every 8th row 3 times. Work on 16 sts until there are 34 rows on back piece, end with 2 rows St St. Bind off. Sew bound off sts to sides of back piece. Turn front hem to wrong side at ridge and sew in place.
(Continued on page 12)

Style II - Yellow Set *(Continued from page 11)*

Neckband: Beg at front edge, from right side thru double thickness of hem, pick up 5 sts along hem, 5 sts over each 10 rows of pat and over each 6 rows of St St section, pick up 1 st in each bound-off st of back. Pick up sts on other side to correspond. K 1 row for ridge. Work 6 rows St St. P next row for turning ridge. Work 6 rows St St. Bind off. Turn hem at ridge and sew.

CORD: Same as Style I. Draw cord thru band.

BOOTIES

SOLE: Cast on 36 sts for center of sole. Place a marker at each side of 2 center sts and slip markers **every** row.
Rows 1 and 2: Knit.
Row 3: K 1, insert left needle from front to back under strand between last st and next st on left needle; forming a lp on needle, K thru **back** of this lp (1 st inc), K to marker, inc 1, K 2, inc 1, K to last st, inc, K 1. (4 sts inc).

Row 4: Knit. Rep last 2 rows 4 times more. 56 sts.

FOOT - Row 1: Work Pat II for 11 rows.
Next Row: * P 1, K 1 in next st in row below; rep from *, end K 1.

INSTEP - Row 1: K 33, sl 1 as to K, K 1, psso, turn.
Row 2: Sl 1 as to P, P 10, P 2 tog, turn.
Row 3: Sl 1 as to K, K 10, sl 1 as to K, K 1, psso, turn.
Row 4: Sl 1 as to P, P 10, P 2 tog, turn.
Rep last 2 rows until there are 38 sts in all (13 sts at each side of the 12 st instep). Turn.
Next Row: Sl 1, K to end.
Next Row: P all sts.
Beading Row: * K 2 tog, yo; rep from * ending yo, K 2. 38 sts. Beg with a P row work 7 rows St St. Work 10 rows Pat I. Bind off.

FINISHING: Sew back and sole seams.

CORD: Same as Style I.

MITTENS

Cast on 36 sts for top of cuff. Work Pat I for 10 rows. K 1 row, P 1 row.
Beading Row: * K 2 tog, yo; rep from *, ending yo, K 2. 36 sts. Beg with a P row work 11 rows St St; 10 rows Pat I; 8 rows St St.
First Dec Row: * K 1, K 2 tog; rep from * to end. P 1 row. Rep last 2 rows once. 16 sts. K 2 tog across row. Cut yarn leaving at end. Thread tapestry needle, run thru sts, draw tog tightly and fasten. Sew side seam.

CORD: Same as Style I.

Style III - Green Set

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 1 ball MC and a few yards each of White and Yellow for trim. 2 small buttons.
CROCHET HOOK: "Boye or Diana" Size E
OR SIZE TO GIVE GAUGE
GAUGE: 5 sc = 1 inch
6 rows = 1 inch

CAP

Crown: With MC, chain 3. Join with a sl st to form a ring.
Rnd 1: 6 sc in ring. Mark end of rnds. Do **not** join.
Rnd 2: 2 sc in each sc. 12 sc.
Rnd 3: * Sc in 1 sc, 2 sc in next sc; rep from * around. 18 sc.
Rnd 4: * Sc in each of 2 sc, 2 sc in next sc; rep from * around. 24 sc. Continue in this way to inc 6 sts every rnd (having 1 st more between incs every inc rnd), until there are 9 rnds in all and 54 sc in rnd. Work 2 rnds on 54 sc.
Next Inc Rnd: Inc 1 sc in every 9th sc. 60 sc. Work 2 rnds even.
Next Inc Rnd: Inc 1 sc in every 10th sc. 66 sc. Join with a sl st to first sc. Ch 1, turn.

BRIM - Row 1: Sc in each of 59 sc (leave 7 sc unworked). Ch 1, turn. Work 15 Rows of 1 sc in each sc, ch 1, turn at end of every row except last row. Ch 1, do **not** turn.
Last Row (right side): Working from left to right, work 1 sc in each sc for backward sc. Fasten off.
Neckband - Row 1: Join yarn at left edge of last row of brim. From right side work 1 sc in each row and sc across back edge. Ch 3, turn.
Beading Row: *Sk next sc, dc in next sc; rep from * to end. Ch 1, turn.
Row 3: Work 2 sc in each ch-1 sp. Fasten off.
Cord: Same as for Style I

LARGE FLOWER: With yellow ch 4. Join with a sl st to form a ring.
Rnd 1: 8 sc in ring. Join with a sl st to first sc. Cut Y, draw W thru lp.
Rnd 2: Sc in same st with joining, 2 sc in next st, * sc in next st, 2 sc in next st, rep from * around. Join, ch 1. 12 sts.
Rnd 3: Sc and ch 1 in each sc. Join.
Rnd 4: 2 sc in each ch-1 sp. 24 sc. Join
Rnd 5: Ch 2, 4 dc in same place with joining, * sk 1 sc, sl st in next sc, sk 1 sc, 5 dc in next sc, rep from * around, end sk 1 sc, sl st in next sc, sk last st, join at base of ch-2. Fasten off.

BOOTIES

SOLE: Ch 25 to measure approx 5 inches.
Foundation Row: Sc in 2nd ch from hook and in each ch to end. 24 sc. Ch 1, turn.
Rnd 1: 2 sc in first sc (an inc), sc in each of next 9 sc, inc, sc in each of 2 sc (mark for toe), inc, sc in each of 9 sc, inc. 28 sc. Ch 1, turn.
Rnd 2: Sc in each sc. Ch 1, turn at end of every row. Continue to inc 1 st at beg and end and 1st each side of center 2 toe sts every row 4 times more. 44 sc.

FOOT - Next Row (right side): Thru **back** lp only work sc in each sc.
Next Row: Thru **both** lps work sc in each sc.
First Dec Row: Sc in each of 2 sc, draw up a lp in each of next 2 sc, yo and thru 3 lps on hook (1 st dec), sc in each of next 15 sc, dec, sc in each of 2 toe sts, dec, sc in each st to last 4 sts, dec, sc to end. Continue to dec 1 st each side and 1 st before and after toe sts on next 3 rows. 28 sc. Cut yarn leaving an end. Sew back seam.
Straps - Row 1: Ch 5, from right side, beg in 5th st to right of back seam, sc in each of 5 sc at both sides of seam. Ch 7, turn.
Row 2: Sc in 2nd ch from hook and next 5 ch, sc in each of 10 sc, sc in each ch to end. 21 sc. Ch 1, turn.
Row 3: Sl st in each of 21 sc, ch 2 (for buttonloop), continue sl st on other side of strap around top of bootie and on other strap. Fasten off. On other bootie make buttonloop on other end of strap.

SMALL FLOWER (Make 2): With Yellow ch 3. Join with a sl st to form a ring.
Rnds 1 and 2: Same as for large flower. 12 sc.
Rnd 3: Ch 2, 2 dc in same place with joining, sl st in next sc, 3 dc in next sc; rep from *around. Join and fasten off. Sew to toe of booties. Sew button opposite buttonloop.

MITTENS

CUFF: Ch 29 to measure 6 inches for top of cuff. Work 8 rows of 28 sc, ch 1, turn at end of 7 rows. Ch 3, turn at end of 8th row.

(Continued on page 13)

Style III - Green Set *(Continued from page 12)*
Beading Row: Sk first sc, * dc in next sc, ch 1, sk 1 sc; rep from * to end. Join with a sl st to 2nd ch of ch-3.

HAND - Rnd 1: Sc in each dc and each ch-1. Mark end of rnd. Work 14 rnds more.
First Dec Rnd: * Draw up a lp in each of 2 sts, yo and thru 3 lps; rep from * around. Work 1 rnd on 14 sts. Rep First Dec Rnd. Cut yarn, thread in tapestry needle, draw sts tog tightly and fasten. Seam cuff.

CORD: Same as Style I. Make 2 small flowers and sew to back of cuffs.

Style IV - Light Blue and White Set

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 1 each Blue (B) and White (W)
1 button
NEEDLES: "Boye or Diana" No. 4 **OR SIZE TO GIVE GAUGE**
GAUGE: 13 sts = 2 inches
12 rows = 2 inches
PATTERN STITCH - Garter Stitch (K every Row)

CAP

Lower Crown (Worked vertically): With blue cast on 23 sts for left back edge.
***Row 1:** Knit.
Inc Row: K to last 2 sts, insert left needle from front to back under strand between last st worked and next st on left needle (forming loop on needle), K in **back** of this lp (1 st inc), K to end. Rep these 2 rows 16 times more. K 1 row. 17 ridges, 40 sts.
Dec Row: K to last 4 sts, K 2 tog, K to end.
Next Row: Knit.
Rep last 2 rows 16 times more. * 23 sts. This completes earlap. Mark last row. K 40 rows for front. 20 ridges from marker. Rep between *'s once. Bind off for right back edge.

CROWN: With W, beg at top left back edge, pick up 1 st in each ridge. 88 sts. K 2 rows.
1st Dec Row: (K 15, K 3 tog, K 14, K 3 tog) twice, K 15, K 3 tog (10 sts dec). K 1 row.
2nd Dec Row: (K 13, K 3 tog, K 12, K 3 tog) twice, K 13, K 3 tog. Continue in this way to dec 10 sts every 2nd row (having decs come directly over decs of previous row), until 8 sts remain. Cut yarn, thread into tapestry needle, draw sts tog tightly and fasten. Sew back seam.
Right Chin Strap: With B from right side, beg at lower edge of 14th ridge from back edge, pick up 1 st in each of 7 ridges. K 48 rows.
Buttonhole Row: K 3, yo, K 2 tog, K 2.
Next Row: K 1, K 2 tog, K 1, K 2 tog, K 1. K 1 row.
Next Row: K 1, K 3 tog, K 1, sl 1, K 2 tog, psso. Fasten off.
Left Band: Pick up, 7 sts beg at 20th ridge from left back edge. K 6 rows. Bind off. Sew button in center.

FINISHING: With B, make a large pompon and sew to top of cap.

BOOTIES

LEG: With B cast on 36 for top of leg. K 7 rows. Cut B. K 16 rows W. Cut White.

INSTEP: Place 12 sts on holder; join W and K next 12 sts for instep, place last 12 sts on holder. K 24 rows on instep sts. K 2 tog across next row. Cut yarn.

FOOT: With B beg at back edge K 12 from holder, pick up 1 st in each ridge on side of instep (12 sts), K across 6 sts of instep, pick up 12 sts on other side of instep, K 12 from holder. 54 sts. K 12 rows.

SOLE - Row 1: K 1, K 2 tog, K 21, K 2 tog, K 2 and mark for toe, K 2 tog, K 21, K 2 tog, K 1. 4 decs. Continue in this way to dec 1 st each side of 2 toe sts every 2nd row 4 times more. Bind off.

FINISHING: Sew sole and back seam. Make 4 small pompons and sew 2 on each bootie at outer side of leg.

MITTENS

With B cast on 34 sts. K 8 rows, drop B. With W, K 8 rows, cut W. Complete with B.
Beading Row: K 1, * yo, K 2 tog; rep from *, end K 2 tog, K 1. K 36 rows.
First Dec Row: * K 1, K 2 tog; rep from *, end K 1. K 1 row.
2nd Dec Row: * K 1, K 2 tog, rep from *, end K 2. K 1 row.
3rd Dec Row: Same as First Dec Row.
Cut yarn, leaving an end for sewing. Thread in tapestry needle and draw thru sts. Pull tightly and fasten. Sew side seam.

CORD: Same as Style I. Make 4 pompons as for booties and sew to ends of cords.

Style V - Navy and White Set

MATERIALS - Fingering Weight
SPINNERIN Baby and Fingering (1-oz) 2 Navy (N) and 1 White (W)
CROCHET HOOK: "Boye or Diana" No. O Steel
OR SIZE TO GIVE GAUGE
GAUGE: 7 sc = 1 inch
7 rnds = 2 inches

CAP

CROWN: With W ch 4. Join with a sl st to form a ring.
Rnd 1: 6 sc in ring. Mark end of every rnd.
Rnd 2: 2 sc in each st. 12 sc.
Rnd 3: * Sc in 1 st, 2 sc in next st; rep from * around. 18 sts.
Rnd 4: * Sc in each of 2 sts, 2 sc in next st; rep from * around. 24 sts.
Continue in this way to inc 6 sts every rnd (having 1 st more between incs in every rnd), until there are 20 sts in each section. 120 sts, diameter approx 6 inches.

BRIM - Work in Striped Pat alternating 2 rows N, 2 Rows White, for 12 rows. Continue Striped Pat, dec 6 sts evenly spaced on each of next 4 rnds. 96 sts. Fasten off.

VISOR: Skip first 24 sts of last rnd, join W in next st.
Row 1: Sc in each of next 46 sts. Ch 1, turn at end of every row.
Row 2: Draw up a lp in each of 2 sts, yo and thru 3 lps on hook (1 st dec), sc in each of 42 sts, dec. 44 sts.
Row 3: Working sc, dec 1 st each side. 42 sts.
Row 4: Rep Row 2. 40 sts.
Row 5: Dec 2 sts each side.
Row 6: Dec 1 st each side.
Rep last 2 rows twice more. 22 sts. Fasten off.

FINISHING: From right side and beg at first row of visor, with W work 1 row sc on edges of visor. Fasten off. From right side and beg at center back of brim, with W work 1 row sc around brim and visor. Join and fasten off. With N, work 1 sc in each sc around entire lower edge.

BOOTIES

SOLE: With N chain 19 to measure appox 2 ½ inches.
Rnd 1: Sc in 2nd ch from hook and mark for heel, 2 sc in next ch, sc in each of next 14 ch, 2 sc in next ch, 1 sc in last ch and mark for toe; on other side of foundation ch, work 2 sc in next ch, sc in each of next 14 ch, 2 sc in next ch. 38 sc. Mark end of rnds.

(Continued on page 15)

White Sacque w/hood

Instructions are for Infant Size. For one size larger, use one size larger hook.

MATERIALS - Fingering Yarn Weight

SPINNERIN Baby and Fingering (1-oz) 3 skeins
1/4-inch ribbon for ties
CROCHET HOOK: "Boye or Diana" Size F
OR SIZE TO GIVE GAUGE
GAUGE: 5 dc = 1 inch
5 dc rows = 2 inches

NOTE: All dc rows are worked thru **back lps** of sts.

YOKE: Chain 75 to measure 14 inches.
Row 1 (wrong side): Dc in 4th ch from hook, dc in each of next 12 ch (14 dc, counting ch-3 at beg of row, for front); in next ch work (2 dc, ch 2, 2 dc) for inc; dc in each of next 8 ch for sleeve; inc in next ch; dc in each of next 25 ch for back; inc in next ch; dc in each of next 8 ch for sleeve; inc in next ch; dc in each of last 14 ch for front. Ch 3, turn.
Row 2: Dc in 2nd dc, * dc in each dc to ch-2 sp; inc in sp; rep from * 3 times more, dc in each dc, dc in top of Tch. There are 2 dc incs in each front, 4 dc incs in each sleeve and in back. Rep last row 5 times more. Ch 1, turn. There are 28 dc in each front, 36 dc in each sleeve, 53 dc in back.

BODY - Row 1: Working thru both lps, sc in each dc to first ch-2 sp, sc in sp; ch 8 loosely for underarm; sk all sleeve sts to next ch-2 sp, sc in sp, sc in each dc across back, sc in sp; ch 8 loosely for underarm; sc in last ch-2 sp, sc in each dc and in top of Tch. Ch 3, turn. 129 sts counting sts underarm chains.
Row 2: Sk next st, * in next st work (dc, ch 2, dc), sk 1 sc, dc in next st, sk 1 st; rep from *, end sk 1 st, dc in last st. Ch 3, turn.
Row 3: In first ch-2 sp work (2 dc, ch 2, 2 dc) shell, * dc in next dc, shell in next ch-2 sp; rep from *, end shell in last ch-2 sp, dc in top of Tch. Ch 3, turn. 32 shells.
Row 4: Work shell in each shell, dc in each single dc. Ch 3, turn. Rep last row 9 times more (11 shell rows) or to desired length. Do **not** fasten off. Work sc on front edge, spacing sts to keep edge flat, ending at foundation ch. Ch 3. Working on other side of foundation chain, dc in each ch or ch-1 sp to front edge, (73 dc for beading at neck edge), work sl st over last dc and continue sc on front edge having same number of sc as on other front. Fasten off.

SLEEVES: From right side, join yarn in same ch as single dc at underarm.
Rnd 1: Ch 3 (counts as 1 dc), * shell between dc of next shell, dc in next dc; rep from * around armhole join with a sl st to top of ch-3 (10 shells). Ch 3, turn.
Rnd 2: Shell in each shell, dc in each dc, join. Ch 3, turn. Rep last rnd until there are 8 rnds in sleeve. Ch 4, turn.
Next Rnd: * Dc in center of shell, ch 1, dc in next dc, ch 1; rep from * around. Join with a sl st to 3rd ch of ch-4. Ch 4, turn.
Beading Rnd: * Dc in next dc, ch 1, rep from * around. Join as before, turn.
Last Rnd: Dc in each dc, dc under each ch-1. Join and fasten off.

HOOD: From right side join yarn to 11th dc of neck beading row.
Row 1: Sc in each of next 49 dc. Ch 3, turn.
Row 2: * Sk 1 st, in next st work (dc, ch 2, dc), sk 1 st, dc in next st; rep from * to end. Work pat with 12 shells as on body until there are 10 shell rows. Fasten off.
Center Piece: Sk 3 shells and next dc, join yarn in center of next shell.
Row 1: Ch 3, (shell in next shell, dc in next dc) 3 times, shell in next shell, dc in center of next shell. Ch 3 turn. Continue shell pat on these sts only for 8 rows more. Fasten off. Sew ends of center piece to last row of side pieces. Join yarn from right side at beg of sc row of hood. Work 1 row sc on face edge, spacing sts to keep edge flat. Ch 3, turn.
Row 2: Thru **back** lp only work 2 dc in each sc. Fasten off. Hold dc row toward you on top of hood. Join yarn to **front** lp of last sc worked into.
Row 3: Thru **front** lp work sc in each sc. Fasten off.

FINISHING: Weave ribbon over and under 2 dc of neck beading row. Beg at center of last shell row of hood, weave ribbon to neck edge and fasten ends so that bow will tie at center. Weave ribbon over and under dc of beading row on sleeves so that bow will be at top of sleeves.

Style V - Navy and White Set *(Continued from page 13)*
Next 4 Rnds: Inc 2 sts around heel and around toe **every** rnd. 54 sc. Draw W thru lp, cut N.

FOOT: With W sc in each sc. Join with a sl st to first sc. Rep last rnd 6 times more, joining each rnd. Fasten off.
LEG: Place a marker at center back, then mark 14 sts at each side of center back. Remove center marker. Join W at marker to left of center.
Row 1 (wrong side): Sc in each of 28 sts. Ch 1, turn at end of every row.
Row 2: Sc in each st.
Row 3: Sc in first st, dec, sc in each st to last 3 sts, dec, sc in last st.
Rows 4 and 5: Rep Row 2 and 3. 24 sts.
Work 6 rows of 24 sc. Fasten off. From right side, join N at first row of leg, work 11 sc on edge of leg, 3 sc at corner, sc in each st across top, 3 sc at corners, 11 sc on edge. Ch 2, turn.
Next Row: Sk 1 sc, * sc in each of next 2 sc, ch 1, sk 1 sc; rep from * twice (4 eyelets - counting ch-2 at beg), sc in each st to corner, 3 sc in corner, sc in each sc to other corner, 3 sc in corner, work 4 eyelets on other side to correspond. Fasten off.

INSTEP and TONGUE: With N work same as for sole. Join and fasten off.
To Join Instep Piece to Foot: Pin center of toe of instep to center of toe of boot and mark 13th st at each side of instep. Join W at beg of leg. Working thru double thickness, sc in each of 26 sts; continue sc around tongue only. Join with a sl st to first sc, fasten off.

CORD: Use two 60-inch strands. Make same as Style I. Lace thru eyelets.

MITTENS

BACK AND FRONT: With W chain 18 to measure 2 ½ inches, draw N thru lp on hook, drop W and ch 19.
Row 1 (right side): Sc in 2nd and each of next 16 ch, draw up a lp in next ch and complete sc with W, drop N; sc in each of 18 ch. Ch 1, turn at end of every row. There are 36 sc, 18 of each color.

NOTE: Be sure that dropped color always hangs on wrong side of work.
Row 2: Sc in each of 18 W sc working off last sc with N;
(Continued on page 16)

Style V - Navy and White Set *(Continued from page 15)*
with N, sc in each of 18 sc. Continue in this way matching colors until there are 9 rows in all.
Beading Row: Still matching colors, sc in first sc, (ch 2, sk 2 sc, sc in next sc) 5 times, sc in each of last 2 sc changing color, work beading on other side to correspond. Fasten off both colors and reverse (W over N and N over W).

Next Row: Work sc in each sc, 2 sc over each ch-2. Work 21 rows even.
First Dec Row: * Draw up a lp in each of 2 sts, yo and thru 3 lps on hook (1 st dec); rep from * to end. 18 sc. Work 1 row even. Rep last 2 rows once. Fasten off leaving an end for sewing. Finish same as Style I, making cords with N.

Style VI - Pink Set

MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 1 each Pink (P) and White (W)
CROCHET HOOK: "Boye or Diana" Size E
OR SIZE TO GIVE GAUGE
GAUGE: 5 sts = 1 inch
4 rows = 1 inch

CAP

PATTERN STITCH Row 1 (wrong side): Sk first st, * 2 dc in next st, sk next st; rep from *, end 2 dc in last st. Ch 1, turn
Row 2: Sc in each dc, do **not** work in Tch. Rep Rows 1 and 2 for Pat.

With P chain 53 to measure 11 inches for front edge.
Foundation Row: Work sc in 2nd ch from hook and each ch to end. Ch 2, turn. 52 sc.
Work Pat for 14 rows. Fasten off. Turn.

BACK PIECE - Row 1: Join P in 17th st from beg of row, ch 2, beg in next st, work Pat Row 1 until there are 18 dc in row (leaving 17 sts unworked). Ch 1, turn. Work Pat for 5 rows more. Ch 2, turn.
First Dec Row: Sk first st, 1 dc in next st, sk next st, continue pat to last st, 1 dc in last st. 16 sts. Work Pat Row 2. Ch 2, turn. Rep last 2 rows 3 times more. Dec 1 st each side of next row. 8 sts. Fasten off. Sew edges of back piece to sides.
Neckband: From right side, beg at face edge, work 1 row sc across lower back edge, spacing sts to keep edge flat and having an even number of sts. Ch 2, turn. Work Pat Row 2 then Pat Row 1. Fasten off.
Edging: At right edge from right side, join W in corner sc 3 rows in from both neckband and front edge. Edging is worked over an sc row.
Row 1: Insert hook from front to back at right of 2nd sc and to front at left of 2nd sc (hook is behind 2nd sc), draw lp thru and complete sc (sc worked around sc).* Ch 3, work sc around next sc; rep from * to first neckband row. Ch 5, turn.
Row 2: Sc in first ch-3 lp, * ch 3, sc in next ch-3 lp; rep from * to end. Fasten off.

CORD: Using W, twist 2 68-inch strands of yarn tightly, then fold in half and allow halves to twist upon each other. (See Style I). Weave over and under 2 dc of dc row of neckband. Adjust length and knot ends. Trim.

BOOTIES

With P chain 29 to measure 6 inches for top of leg. Work foundation row. 28 sts. Work 5 rows pat, end with Row 1. Fasten off. Turn.
Instep - Row 1: Sk first 10 sts, join yarn in next st, sc in same st with joining, sc in each of next 7 sts (leave 10 sts unworked). Work Pat for 5 rows more (6 rows in all). Cut yarn. Turn.

Foot: Join yarn from wrong side in first st of leg.
Row 1: Sc in each of 10 sts to instep, work 8 sc on side of instep, 1 sc in each of 8 sts of instep, 8 sc on other side and 10 sts on leg. Join with a sl st to first sc. 44 sc. Ch 2, turn. Work Pat for 4 rows, joining each row with a sl st and turning at end of each row. End with a sc row. Cut yarn.
Sole: Ch 9. Sc in 2nd ch from hook and in each ch to end. 8 sts.
Row 2: Sc in each sc. Rep last row 12 times, fasten off leaving an end for sewing. Sew sole to foot.
Edging - (Instep) Row 1: Join W at first instep row. From right side work 24 sc around instep. Ch 3, turn
Row 2: Sc in first sc, * ch 3, sc in next sc; rep from * to end. Fasten off. Join W at beg of first row of leg.
Row 1: Sc in first st, * ch 3, sc in next st; rep from * to end.
Row 2: Same as Row 2 of cap edging. Sew back seam.
Cord: Using 32-inch strands W make twisted cord and weave thru last row of leg.

MITTENS

With P ch 20 to measure 6 inches for top of cuff. Work foundation row. 28 sc. Work 16 pat rows, end with a sc row. Ch 2, turn.
First Dec Row: 1 sc in every 2nd st. Ch 1, turn.
2nd Dec Row: * Draw up a lp in each of 2 sts, yo and thru 3 lps on hook; rep from * to end. Fasten off. Cut yarn leaving an end for sewing. Draw sts tog and fasten.
Edging: Work same as top of bootie. Sew back seam.
Cord: Same as for booties. Weave thru 5th Pat Row from beg of cuff.

TO MAKE A TWISTED CORD



Cut strands of yarn 3 times desired length of cord. Tie ends tog forming 2 looped ends. Slide a pencil thru each looped end. Have two people hold pencils. Keeping yarn taut twist pencils in opposite directions. When yarn is tight and begins to kink, catch center of cord over a door knob. Bring pencils together, allowing yarn to twist. If necessary run hand down twisted cord to smooth.



Eye - aqua ch st in circle, french knot at center.
Tail - 4 strand ch st - 1 inch ch, 1 inch fringe.
Ear - Pick up 4 bars, work 3 rows afghan st, fasten off. Sc around outer edge, 2 sc at corners to round.



Eyes - yellow ch st for mother, satin st for baby.
Ears - kelly. for mother attach at top of head,* ch 5. Sc in 2nd and in each ch, sl st to head *; rep between *'s, fasten off. Use ch 4 for baby's.
Pouch - kelly. Ch 13, work in afghan st, dec 1 st at end of first half of every row until 6 sts. Bind off. From right side, sc across foundation row and up side. Sew in place along 3 sides (leave top free), lower point of foundation ch 2 bars in from outer edge of 2nd row of body.



LADY BUG
Eyes - yellow french knots.
Legs - brown straight st.
Feelers - brown ch st, french knot at ends.
Spots - brown cross st.
Diagonal on body - brown ch st.

SPIDER
Legs - brown straight st.
Eyes - yellow french knots.

FISH
Eye - yellow satin st, brown in center over yellow.
Fins - cross st in green

BEE
Work diagonal cross st in yellow on body.



Tail - with 4 strands aqua, ch 6 inches, leave 1½ inch tassel.
Ear - With aqua ch 12. Work in afghan st, inc 1 st each side 6 times. Work 4 more rows even. Dec 1 st each side, work 1 row on 22 sts. Dec both sides next 4 rows. Bind off. Work 1 row sc around outer edge, sew in place, tack at top.
Eye - work in brown buttonhole st.



Brown for cross st nose, ch st curls at base of nose, satin st eyes.
Orange for pompon on tail.
Yellow for 2 vertical stripes on each eye and for mane cut 3-inch strands and fringe 2 rnds around entire head.



The Classic Sweaters

Directions are for 3 weights of SPINNERIN yarns in sizes 1, 2 and 3, and for both set-in and raglan sleeves.

MATERIALS—GROUP A
Fingering Yarn Weight
SPINNERIN Baby and Fingering (1-oz.) 2(3-3)
Needles: "Boye or Diana" No. 2 and No. 3
OR SIZE TO GIVE GAUGE
Crochet Hook: No. 2 Steel
GAUGE: 7 sts = 1 inch
10 rows = 1 inch

MATERIALS—GROUP B
Sport Yarn Weight
SPINNERIN Sport (2-oz.) 2(3-3)
Needles: "Boye or Diana" No. 4 and No. 5
OR SIZE TO GIVE GAUGE
Crochet Hook: No. 1 Steel
GAUGE: 6 sts = 1 inch
8 rows = 1 inch

MATERIALS—GROUP C
Knitting Worsted Weight
SPINNERIN Marvel Twist Deluxe Knitting Worsted or 4 Ply Deluxe or Companion/ Spinloft (4-oz.) 1(2-2)
Needles: "Boye or Diana" No. 6 and No. 7
OR SIZE TO GIVE GAUGE
Crochet Hook: No. 0 Steel
GAUGE: 5 sts = 1 inch
6 rows = 1 inch

FINISHED MEASUREMENTS
Chest for all slipons 20(22-24) inches
Chest (buttoned) for all cardigans 21(23-25) inches

BACKS FOR ALL SWEATERS AND ALL SLIPON FRONTS ARE WORKED AS FOLLOWS TO UNDERARM

	GROUP A			GROUP B			GROUP C		
SIZES	**1**	**2**	**3**	**1**	**2**	**3**	**1**	**2**	**3**
With larger needles, cast on ..... sts	70	78	84	60	66	72	50	56	60
Rib in K 1, P 1 for ..... rows	14	14	14	10	10	10	6	6	6
Work **St St** (K 1 row, P 1 row) to ..... inches from beg, ending with P row.	6	7	8	**SAME AS GROUP A**					

BACK ARMHOLE SHAPING FOR SET-IN SLEEVE STYLES ONLY

At beg of next 2 rows, bind off ..... sts	3	4	4	2	3	4	2	3	4
Dec 1 st each side every 2nd row ..... times	3	4	5	3	3	4	2	3	3
Work on ..... sts	58	62	66	50	54	56	42	44	46
until, in armholes ..... rows	36	40	46	28	32	36	22	24	28
Shoulders: At beg of next 2 rows, bind off ..... sts	15	16	17	13	14	15	11	12	13
Put on holder (V-neck cardigan only, bind off) ..... sts	28	30	32	24	26	26	20	20	20

(Fronts-See below for Slipons; page 19 for Cardigans)

BACK ARMHOLE SHAPING FOR RAGLAN STYLES ONLY

At beg of next 2 rows, bind off ..... sts	3	4	4	2	3	4	2	3	4
Row 3: K 1, K 2 tog, K to last 3 sts, sl 1, K 1, psso, K 1.									
Row 4: Purl.									
Rep last 2 rows ..... times	19	22	24	15	17	19	12	13	14
Put on holder (V-neck cardigan only, bind off) ..... sts	24	24	26	24	24	24	20	22	22

(Fronts-See below for Slipons; page 19 for Cardigans)

SLIPON FRONTS
WITH SET-IN SLEEVES — ROUND OR TURTLE NECK

Shaping armholes as on back, work until in armholes there are ..... rows	22	26	32	16	20	24	12	14	18
Neck: Work ..... sts	20	22	24	17	19	20	15	16	17
place on holder ..... center sts	18	18	18	16	16	16	12	12	12
join 2nd ball yarn, work to end.									
Working each side with separate yarn, dec 1 st at neck edges *every* row ..... times	5	6	7	4	5	5	4	4	4
Work to same number of rows as back to shoulders. Bind off.									

(Sleeves—page 20)

SIZES	GROUP A 1	2	3	GROUP B 1	2	3	GROUP C 1	2	3
WITH SET-IN SLEEVES — V NECK									
Mark at center. Shaping armholes as on back, work to marker, join 2nd ball, work to end. Working each side with separate yarn, dec 1 st at neck edges every 2nd row ..... times	11	11	11	11	11	9	10	9	7
every 4th row ..... times	3	4	5	1	2	4	0	1	3
Work on ..... sts	15	16	17	13	14	15	11	12	13
to same number of rows as back to shoulders. Bind off.									
(**Sleeves—page 20**)									
WITH RAGLAN SLEEVES — ROUND OR TURTLE NECK									
Same as back until ..... armhole decs	12	15	18	9	11	13	7	8	9
and on needle ..... sts	40	40	40	38	38	38	32	34	34
Neck: Purl ..... sts	13	13	13	12	12	12	10	11	11
place on holder center ..... sts	14	14	14	14	14	14	12	12	12
join 2nd ball, P to end. Working each side with separate yarn, continue to shape armholes as on back **AND AT SAME TIME** dec 1 st at neck edges *every* row ..... times	5	5	6	5	5	5	4	5	5
(**Sleeves—page 20**)									
WITH RAGLAN SLEEVES — V NECK									
Mark at center. Shaping armhole as on back, work to marker, join 2nd ball, work to end. Working each side with separate yarn, continue to shape armholes as on back **AND AT SAME TIME** dec 1 st at neck edges every 2nd row ..... times	6	3	5	10	8	6	9	10	9
every 4th row ..... times	6	9	8	2	4	6	1	1	2
(**Sleeves—page 20**)									
CARDIGAN FRONTS									
LEFT FRONT FOR ALL CARDIGANS WORKED AS FOLLOWS TO UNDERARM									
With larger needles, cast on ..... sts	37	41	44	32	35	38	27	29	32
Rib for ..... rows	14	14	14	10	10	10	6	6	6
Work **St St** to same length as back to armholes, ending with a P row.									
ARMHOLE AND ROUND NECK FOR SET-IN SLEEVES									
At beg of next row, bind off ..... sts	3	4	4	2	3	4	2	3	4
Dec 1 st at armhole edge every 2nd row ..... times	4	5	6	4	4	5	3	3	4
Work on ..... sts	30	32	34	26	28	29	22	23	24
until, in armhole, ... rows	22	26	32	16	20	24	12	14	16
ending at front edge.									
Neck: Work ..... sts	8	9	10	8	9	9	8	8	8
and place on holder, work to end.									
Dec 1 st at neck edge *every* row ..... times	7	7	7	5	5	5	3	3	3
Work on ..... sts	15	16	17	13	14	15	11	12	13
to same number of rows as back to shoulder. Bind off.									
RIGHT FRONT: Work to correspond to left front, reversing all shaping.									
(**Sleeves—page 20**)									

SIZES	GROUP A 1	2	3	GROUP B 1	2	3	GROUP C 1	2	3
ARMHOLE AND V NECK FOR SET-IN SLEEVES									
At beg of next row, bind off ..... sts	3	4	4	2	3	4	2	3	4
work to last 3 sts, K 2 tog (1 neck dec), K 1. Dec 1 st at armhole edge and 1 st at neck edge every 2nd row ..... times	4	5	6	4	4	5	3	3	4
Keeping armhole edge even, dec 1 st at neck edge every 2nd row until there are, in all, ... neck decs	13	13	12	11	13	11	9	9	9
then dec at neck every 4th row ..... times	2	3	5	2	1	3	2	2	2
Work on ..... sts	15	16	17	13	14	15	11	12	13
to same number of rows as back to shoulder. Bind off. **RIGHT FRONT:** Work to correspond to left front reversing all shaping, dec for neck by K 2 tog thru *back* loops. **(Sleeves - See below)**									
ARMHOLE AND ROUND NECK FOR RAGLANS									
At beg of next row, bind off ..... sts	3	4	4	2	3	4	2	3	4
Shape armhole as on back until ..... decs	10	12	15	7	9	11	5	6	7
P 1 row. **Next Row:** Dec at armhole, work to last ..... sts	9	9	10	9	9	9	8	7	8
and place unworked sts on holder. Continue to dec armhole as on back **AND AT SAME TIME,** dec 1 st at neck edge *every* row ..... times	5	5	6	5	5	5	4	5	5
RIGHT FRONT: Work to correspond to left front, reversing all shaping. **(Sleeves - See below)**									
ARMHOLE AND V NECK FOR RAGLANS									
At beg of next row, bind off ..... sts	3	4	4	2	3	4	2	3	4
work to last 3 sts, K 2 tog (neck dec), K 1. Continue to shape armhole as on back **AND AT SAME TIME,** dec 1 st at neck edge every 2nd row ..... times	7	4	4	11	9	7	10	9	10
every 4th row ..... times	6	9	10	2	4	6	1	2	2
RIGHT FRONT: Work to correspond to left front, reversing shaping and dec for neck by K 2 tog thru *back* loops. **(Sleeves - See below)**									
LONG SLEEVES FOR ALL SWEATERS ARE WORKED AS FOLLOWS TO UNDERARM									
With smaller needes, cast on ..... sts	40	44	48	34	38	40	30	32	34
Rib as on back, inc evenly across last row, ... sts	6	6	6	6	6	6	4	4	4
Change to larger needles. Work **St St,** inc 1 st each side every ..... rows	8	8	8	6	6	6	6	6	6
..... times	5	5	5	4	4	4	3	3	3
Work on ..... sts	56	60	64	48	52	54	40	42	44
to ..... inches	8	9	10	**SAME AS GROUP A**					
from beg, or desired length to underarms.									
SHORT SLEEVES FOR ALL SWEATERS ARE WORKED AS FOLLOWS TO UNDERARM									
With smaller needles, cast on ..... sts	50	54	58	44	48	50	36	38	40
Rib as on back for ..... rows	6	6	6	4	4	4	4	4	4
Change to larger needles. Work **St St,** inc evenly across first row ..... sts	6	6	6	4	4	4	4	4	4
Work on ..... sts	56	60	64	48	52	54	40	42	44
to 2 inches from beg, or desired length to underarm.									

SIZES	GROUP A 1	2	3	GROUP B 1	2	3	GROUP C 1	2	3

CAPS FOR ALL SET-IN SLEEVES ARE WORKED AS FOLLOWS

At beg of next 2 rows, bind off ..... sts	3	4	4	2	3	4	2	3	4
Dec 1 st each side every 2nd row ..... times	5	10	12	3	6	10	1	5	7
every row ..... times	10	6	6	10	8	4	10	6	4
Bind off ..... sts	20	20	20	18	18	18	14	14	14

CAPS FOR ALL RAGLAN SLEEVES ARE WORKED AS FOLLOWS

At beg of next 2 rows, bind off ..... sts	3	4	4	2	3	4	2	3	4
Dec 1 st each side (as on back) every 4th row ..... times	0	1	1	0	0	0	0	0	0
every 2nd row ..... times	19	21	23	13	16	20	11	13	15
every row ..... times	2	0	0	6	4	0	4	2	0
Place on holder ..... sts	8	8	8	6	6	6	6	6	6

FINISHING

FINISHING FOR ALL SLIPONS: For set-in sleeves, seam left shoulder, **For raglans,** weave left sleeve to front and back, right sleeve to front only.

Neckband for Round Necks: With smaller needles, from right side and beg at right back (inc or dec as necessary across sts on holders), around neck edge, pick up ..... sts 74 78 82 | 64 66 68 | 54 56 58
Rib for 1 inch. Bind off loosely in ribbing, using larger needle.

Neckband for Turtle Necks: Work same as for Round Neck, ribbing to desired depth.

Neckband for V-Neck with Set-In Sleeves: With smaller needles, from right side, K across back; pick up along neck

edge to center ..... sts	36	40	46	28	32	36	22	24	28
pick up 1 st at center and mark, along other neck edge to shoulder, pick up ..... sts	36	40	46	28	32	36	22	24	28

Row 1: P 1, K 1 to center st, P 1, K 1, P 1 to end. **Row 2:** Rib to 2 sts before center st, K 2 tog thru *back* loops, K 1, K 2 tog thru *front* loops, rib to end. Rep these 2 rows for 1 inch. With larger needle, bind off in rib.

Neckband for V-Neck with Raglan Sleeves: With smaller needles, from right side, K across back,dec

evenly ..... sts	4	2	2	6	4	4	6	8	8
K 2 tog across sleeve—a dec of ..... sts	4	4	4	3	3	3	3	3	3
along neck edge to center pick up ..... sts	36	40	46	28	32	36	22	24	28

pick up 1 st at center and mark. Pick up same number of sts along neck to shoulder as before, dec sleeve as

before. There are ..... sts	101	111	125	81	91	99	65	69	77

Work in rib same as for Set-In sleeve above.

FINISHING FOR CARDIGANS: Completely assemble sweater.

Neckband for Round Necks: With smaller needles, from right side and beg at front edge, inc or dec as necessary across sts on holders, around neck edge pick up ..... sts 70 74 78 | 62 64 66 | 50 52 54
Rib 1 inch. With larger needle, bind off loosely in rib.

Button Band (left front for girl, right front for boy): Work 1 row sc from lower edge to top of neckband, spacing sts to keep edge flat. Ch 1, turn. Working sc in each sc,

work an additional ..... rows	5	5	5	5	5	5	3	3	3
Fasten off. Mark for buttonholes, spaced as desired. **Buttonhole Band:** Sc along other front, being sure to have same number of sts. Work an additional ..... rows	2	2	2	2	2	2	1	1	1

On next row, work buttonholes as follows: Opposite each marker, ch 2, sk 1. On following row, work only 1 sc in each ch-2. Work same number of rows as on other side. Fasten off. Weave in ends. Block and sew on buttons.

FRONT BAND FOR ALL V NECKS: From right side, beg at lower edge and spacing sts to keep edge flat, work sc to first neck dec and mark; sc to back of neck, mark; sc across back; mark; being sure to have same number of sts as before, sc to first neck dec, mark; sc same number of sts as before to lower edge. Ch 1 turn. Working sc in each sc,

work an additional .....rows	2	2	2	2	2	2	1	1	1

On side for boy or girl, mark for buttons, one just below beg of neck shaping and others evenly spaced.**Work buttonholes on next row as follows:** Opposite each marker ch 2, sk 1. On following row, work only 1 sc in each ch-2.

Work in sc until there are a total of ..... rows	6	6	6	6	6	6	4	4	4

Fasten off Weave in ends. Block and sew on buttons.

The Classics

Instructions begin on page 18.

The juvenile motifs shown opposite may be worked-in using bobbins, or embroidered in duplicate st after sweaters are completed. Yarn required is not listed under Materials, since each color requires only a few yards. Motifs can be placed as shown, or as desired. The instructions for placement of these patterns are not included in this book. These diagrams and stripe patterns are only offered as suggestions for various patterns. Many other variations or entirely different designs can be created from these basic instructions.



▲ = Black
▽ = Orange
△ = Green
□ = Grey





⊡ = Red
⊠ = Green
■ = White



○ = Dark Color
▽ = Green
□ = Light Color

▲ = Black
○ = Pink
□ = White
△ = Red
■ = Yellow



FISHERMAN CARDIGAN I

Continued from page 32)

Next Row: Work 5 sts in rib, P to end. Change to No. 8 needles.
Row 1 (right side): Work first row of Pat 1 over 3(5-9) sts; Pat 2 over 10 sts; Pat 3 over 9 sts; beg with P 2, work Pat 4 over 10 sts only, rib to end. Keeping 5 sts at front edge in rib and remaining sts in pats as established, work to same number of rows as on back to beg of armhole.
Armhole: Shape as on back. Work on 32(33-34) until armholes are 2(2½-3) inches, end at front edge.
Neck: Work 14 sts and place on holder, work to end. Dec 1 st at neck edge **every** row 5 times, bind off for shoulder when armhole is same length. Mark places on front band for buttons, first marker in line with first row of pats, others evenly spaced, allowing for last to be in center of a 5 row neckband.

RIGHT FRONT: Cast on and work rib as on back.
Next Row: P to last 5 sts, rib to end. Change to No. 8 needles. Establish pats.
Row 1 (right side): Rib 1 st, K 2 tog, yo (buttonhole), rib 2 sts; beg with front twist, work Pat 4 over 10 sts; Pat 3 over 9 sts; Pat 2 over 10 sts; Pat 1 over 3(5-9) sts.
Row 2: Work Pat Row 2 of each pat to last 5 sts, rib to end. Complete to correspond to left front, working buttonholes opposite markers and reversing all shaping.

SLEEVES: With No. 6 needles cast on 35(39-39) sts. Rib in K 1, P 1 for 5 rows. P 1 row. Change to No. 8 needles. Establish pats. Work first row of Pat 1 over 3(5-5) sts; Pat 2 over 10 sts; Pat 3 over 9 sts; Pat 2 over 10 sts; Pat 1 over 3(5-5) sts. Continue in pat inc 1 st each side every 4th row 7(6-8) times, working inc sts into Pat 1. Work on 49(51-55) sts to 7(8-9) inches from beg, or desired length to underarm.

Shape Cap: Bind off 2(3-4) sts beg of next 2 rows. Dec 1 st each side every 2nd row 0(2-5) times, **every** row 12(10-8) times. Bind off 2 sts at beg of next 2 rows. Bind off 17 sts.

FINISHING: Assemble. Weave in ends.
Neckband: From right side with No. 6 needle and beg at right front edge, rib across sts on holder, pick up 1 st in each row on neck edge, rib across sts at back of neck, pick up same number of sts on left front neck edge, rib across sts on holder.
Next Row: Rib, dec if necessary to keep rib pat.
Next Row: Rib, working buttonhole in right front band as before. Rib 2 rows more. Bind off in rib. Sew on buttons.

FISHERMAN CARDIGAN II

(Continued from page 32)

Armholes (keep continuity of pats when shaping): Bind off 3(4-5) at beg of next 2 rows. Dec 1 st each side every 2nd row 3(4-5) times. Work in pat on 59(61-63) until armholes measure 3½(4-4½) inches, ending with wrong side row.
Shoulders: Bind off 15(18-19) at beg of next row, work pat to last 15(18-19) and bind off last sts. Place remaining 29(25-25) on holder for back of neck.

FRONTS: Make side with buttons first - for girls, left front; for boys, right front. Then mark for desired number of buttons, allowing for top button to be in 1-inch neck band. For buttonhole side, beg at front edge, work buttonholes opposite markers by K 2, K 2 tog, yo, work to end. On next row work the yo as a st.

LEFT FRONT: With No. 5 needles, cast on 42(45-48) sts. Rib as on back.
Row 1: K 6(9-12); work Row 1 of Pat 1 over next 15 sts; work Row 1 of Pat 2 over next 15 sts **only;** (P 1, K 1) 3 times (for ribbed front band).
Row 2: (P 1, K 1) 3 times; work Row 2 of Pat 2 over next 15 sts; work Row 2 of Pat 1 over next 15 sts; P 6(9-12). Keeping pats and rib band as established, work same as back to underarm. Shape armhole at beg of right side rows as on back. Work on 36(37-38) until armhole measures 2(2½-3) inches, end with wrong side row.
Neck: Work pat to last 15(13-13) sts and place unworked sts on holder. Keeping pat, dec 1 st at neck edge **every** row 6 times. When armhole is same length as back, bind off remaining 15(18-19).

RIGHT FRONT: Cast on and rib as for left front.
Row 1: (K 1, P 1) 3 times (for rib band); work Row 1 of Pat 2 over next 15 sts; work Row 1 of Pat 1 over next 15 sts; K 6(9-12).
Row 2: P 6(9-12); work Row 2 of Pat 1 over next 15; work Row 2 of Pat 2 over next 15; (K 1, P 1) 3 times. Work as left front, shaping armhole at beg of wrong side rows. Beg neck on right side row by working 15(13-13) sts and placing these sts on holder, then complete row.

SLEEVES: With No. 3 needles, cast on 39(41-43) sts. Rib as on back, inc 8 sts evenly spaced on last row. 47(49-51) sts. Change to No. 5 needles.
Row 1: K 1(2-3); work Row 1 of Pat 1 over next 15 sts; Row 1 of Pat 2 over next 15; Row 1 of Pat 1 over next 15; K 1(2-3).
Row 2: P 1(2-3); Row 2 of Pat 1 over 15; Row 2 of Pat 2 over 15; Row 2 of Pat 1 over 15; P 1(2-3). Keeping the 45 center sts in pats as established, others in St St, inc 1 st each side every 6th row 6(7-8) times. Work on 59(63-67) to 8(9-10) inches from beg, or desired length, end with wrong side row.
Shape Cap: Bind off 3(4-5) at beg of next 2 rows. Dec 1 st each side every 2nd row 0(3-6) times; **every** row 12(10-8) times. Bind off 3 sts at beg of next 2 rows. Bind off remaining 23 sts.

FINISHING: Assemble. **Neckband:** With right side facing, place 15(13-13) sts from right front on No. 3 needle and join yarn. Along shaped neck edge pick up 1 st in every row; K across back of neck sts, dec 8(0-0) sts evenly spaced; pick up same number of sts along shaped edge as on other side; work sts for left front. Count sts and on first rib row, inc or dec (evenly spaced around neck **except** across rib bands) to have 73(75-77) sts. Rib 1 inch as on sweater. With No. 5 needle, bind off in rib. Sew on buttons.

RED COAT AND BERET

(Continued from page 28)

COLLAR: Chain 52 to measure 13 inches for neck edge. Work pat on 50 sts for 4 rows. Dec 1 st each side of next 2 rows. From right side work sl st on short end of collar. Fasten off. Join yarn at neck edge on other side and work sc on short end. Fasten off.

POCKET FLAPS (Make 2): Chain 14 to measure 3½ inches. Work pat for 2 rows. Dec 1 st each side of next 2 rows. Work sl st as on collar.
Buttonhole (invisible) facing: Chain 9.
Row 1: Sc in 2nd ch from hook and in each ch to end. 8 sc. Ch 1, turn at end of every row.
Row 2: Sc in each sc. Work 2 more rows of 8 sc.
Buttonhole Row: Sc in each of 3 sts, ch 2, sk 2 sc, sc in each of last 3 sts.
Next Row: Sc in each sc and ch. Continue in this way to work a buttonhole every 2¾ (3-3¼) inches until there are 3 buttonholes in all. Work 4 rows. Fasten off.

FINISHING: Assemble, sewing sleeve seams so that cuff seam will be on wrong side when turned back. From right side, beg at lower right front edge, work sc on front edges (spacing sts to keep edge flat), around neck edge, holding to desired fit and having same number of sts on each front edge. With last row of buttonhole facing on wrong side at neck edge (right for girl and left for boy) and front edge at inside edge of sc row, sew **inside** edge of facing to front, tack outside edge at intervals to front. Sew foundation ch and top edge of facing at neck. With center back of foundation ch of collar at center back of neck and ends 5 sts from front edges, sew collar to neck edge. Make a buttonloop at top neck edge of each front. Sew buttons opposite buttonholes and loops. (Underlap button at neck will be on wrong side of coat). Sew pocket flaps as shown.

BERET

Ch 4. Join with a sl st to form a ring. Ch 2.
Rnd 1: 8 hdc in ring. Mark end of rnds.
Rnd 2: 2 hdc in each st. 16 hdc.
Rnd 3: Hdc in next st, 2 hdc in next st. 24 hdc.
Rnd 4: * Hdc in each of 2 sts, 2 hdc in next st; rep from * around. 32 hdc. Continue to inc 8 sts every rnd (do **not** have incs directly over incs of previous rnd) until there are 96 hdc in rnd, join with a sl st to first hdc. Diameter measures 8 inches.
Next Rnd: Working in strand below top 2 strands (leaving a ridge on top) work sc in each st. Work 2 rnds of sc in each st.
First Dec Rnd: * Sc in each of 10 sts, draw up a lp in each of next 2 sts, yo and thru 3 lps (1 st dec); rep from * around 88 sc.
2nd Dec Rnd: * Sc in each of 9 sts, dec; rep from * around. 80 sc.
3rd Dec Rnd: * Sc in each of 14 sts, dec; rep from * around. (5 sts dec). Join with a sl st to first sc. Fasten off.

COAT AND CAP

(Continued from page 28)

SLEEVES: With No. 4 needles, cast on 44(48-52) sts. Work hem and hemline as on back. Change to No. 5 needles. Work pat, inc 1 st each side every 6(6-8) rows, 8 times, working inc sts in pat. Work on 60(64-68) to 8(9-10) inches from hemline, or desired length to underarm.
Shape Cap: Bind off 6(6-7) sts at beg of next 2 rows. Dec 1 st each side every 2nd row 7(9-12) times, **every** row 6(6-4) times. Bind off 2 sts at beg of next 4 rows. Bind off 14 sts.

COLLAR: With No. 5 needles cast on 28(32-32) sts for neck edge. Work in pat, casting on 12 sts at beg of next 4 rows. 76(80-80) sts.
Next Row: K 1, insert left needle in strand between last st knit and next st on left needle forming a lp on needle, K in back of this lp (1 st inc), pat to last st, inc 1 st, K 1. Continue in this way to inc 1 st each side every 4th row 3 times more. Bind off from wrong side as to purl.
Crochet Edge: From right side, join W at end of neck edge. On short edge work 9 hdc to corner, 3 hdc at corner, hdc in each bound-off st, 3 hdc at corner, 9 hdc on other short edge. Fasten off. Join R in first hdc of W row. Work hdc in each hdc, 3 hdc in corner sts. Fasten off.

FINISHING: Assemble. Turn and sew hems. From right side with MC and beg at end of hem on lower right front, work 1 row sc across the 23 cast on sts, 3 sc at corner, continue sc on front to top of inner section of neck shaping, ch 3 for buttonloop, continue sc on neck edge holding to desired fit, then work buttonloop and sc on left front to correspond. Fasten off. **Sleeve Trim:** With W make a chain to fit around sleeve about 1½ inches above hemline. Hdc in 3rd ch from hook and each ch to end. Fasten off. Join R in first hdc of last row. Hdc in each hdc fasten off. Sew ends tog to form a circle. Slip over sleeve with joining at underarm seam. Overcast chain to sleeves. Lap right front (for girl) or left front (for boy) for 2⅓ inches over opposite front. Mark places for 3 buttonholes ½ inch from outer edge of overlap, first 1½ inches below neck edge, other 2 spaced evenly below. Mark 3 more buttonholes parallel to first set for double breasted closing. Face under both sets of markings with grosgrain ribbon. Work buttonholes by machine. With ends of collar at center of the 12(14-15) sts bound-off for neck and center back at center back of neck, sew collar to neck edge. Sew buttons opposite buttonholes. Sew a small button on wrong side of buttonhole front to fasten buttonloop and on right side of button front.

CAP

SECTION (Make 8): With No. 4 needles cast on 20 sts. Work St St for 3 rows, end with a K row. K next row on wrong side for hemline. Change to No. 5 needles. Work in pat for 20 rows. Dec 1 st each side of next 2 rows. 16 sts. Dec 1 st each side every 4th row 6 times. 4 sts. K 2 tog twice. Bind off.

PEAK: (Make 2) With No. 5 needles cast on 16 sts. P 1 row. Work in St St inc 1 st each side **every** row 7 times, every 2nd row twice. P 1 row on 34 sts.
Next Row (right side): Inc 1 st in first st, K 8, join 2nd ball of yarn, bind off center 16 sts, K 8, inc 1 st in last st. Working each side with separate yarn, dec 1 st at inner edge of each section until 2 sts remain at each side. Bind off.
FINISHING: Weave the 8 sections of cap together. Using knit peaks for pattern, cut a piece of stiffener to match. Sew peaks together at outer edges. Insert cut stiffener. Sew peak to cap. With No. 5 needles cast on 10 sts. Work in St St for 10 rows. Bind off. Cover a button with knitted piece and sew to top of cap.
TIES (Make 2): With double yarn make a chain of desired length. Sc in 2nd ch from hook and in each ch to end. Fasten off. Sew ties to cap as shown.

Yellow Dress

(Shown at left)

Instructions are for size 1. Changes for sizes 2 and 3 are in parentheses.
MATERIALS - Sport Yarn Weight
SPINNERIN Frostlon Petite (1-oz) 6(7-7)
Small buttons
NEEDLES: "Boye or Diane" Size 3 and 5
OR SIZE TO GIVE GAUGE
GAUGE: 6 sts = 1 inch
8 rows = 1 inch

FINISHED MEASUREMENTS (in inches)
Chest 20(22-24)
Lower edge 30(32-34)

BACK: With No. 3 needles cast on 92(98-104) sts. Work in St St (K 1 row, P 1 row) for 7 rows, end with a K row. Change to No. 5 needles, K next row for turning hemline. Beg with a K row, work 8 rows.

First Dec Row: K 7(8-9), K 2 tog, * K 17(18-19), K 2 tog; rep from * 4 times more, K 7(8-9). 5 decs. Work 5(7-9) rows even.
2nd Dec Row: K 6(7-8), K 2 tog, * K 16(17-18), K 2 tog; rep from * 4 times more, K 7(8-9). 5 decs. Work 5(7-9) rows even.
3rd Dec Row: K 6(7-8), K 2 tog, * K 15(16-17), K 2 tog; rep from * 4 times more, K 6(7-8).
Continue in this way to dec 5 sts every 6(8-10) rows 3 times more.
Work on 62(68-74) sts to 9(10-11) inches above hemline, or desired length to underarm, end with a P row.
Raglan Armholes - Row 1: Bind off 4 sts at beg of row, K until 27 sts on needle, join 2nd ball of yarn, K to end.
Row 2: Bind off 4 sts, P until 27 sts on needle, drop yarn, with other ball P to end. Continue to work each side with separate ball for back opening.
Row 3: K 1, K 2 tog, K to opening, with 2nd ball K to within 3 sts of end, sl 1 as to K, K 1, psso, K 1.
Row 4: Purl. Rep last 2 rows 14(16-18) times. Sl 12(13-14) sts at each side to stitch holders.

FRONT: Work same as back to armholes.
Raglan Armholes: Bind off 4 sts at beg of next 2 rows. Dec 1 st each side (as on back) until there are 9(11-13) raglan decs and 36(38-40) sts on needle, end with a dec row.
Neck: P 12 sts, sl center 12(14-16) to holder, join 2nd ball of yarn, P to end. Working each side with separate yarn, continue to dec at armhole edges 6 times more **AND AT SAME TIME** dec 1 st at neck edges every row 5 times. Fasten off last st.

SLEEVES: With No. 3 needles cast on 34(38-42). Work hem and hemline as on back. Change to No. 5 needles. Work in St St, inc 1 st each side every 6th row 7 times. Work on 48(52-56) to 8(9-10) inches above hemline, or desired length to underarm.
Raglan Cap: Same as Raglan armholes on back. Place 10 sts on holder.

FINISHING: Assemble dress.
Neckband: With No. 3 needle from right side, K across 12(13-14) sts on holder at left side of back opening, K 2 tog across sleeve st (5 sts), pick up 1 st in each row on shaped neck edge, K across sts on holder, pick up 1 st in each row on shaped neck edge. K 2 tog across sleeve sts, K across 12(13-14) sts on holder. Beg with a P row work St St for 6 rows. K next row for turning ridge. Beg with a K row, work 8 rows. Bind off.
Turn all hems to wrong side and sew. From right side, beg at top of neckband and working thru double thickness of hem, work sc on right edge of opening, spacing sts to keep edge flat, continue sc on left edge, having same number sc as on right edge. Ch 1, turn. Work 4 buttonholes on left edge (ch 2, sk 2 sc) evenly spaced, do not work on right edge. Fasten off. Sew on buttons.

White Dress

(Shown at right)

Instructions are for Size 1. Changes for Sizes 2 and 3 are in parentheses
MATERIALS - Sport Yarn Weight
SPINNERIN Sport (2-oz) 3 balls MC and 1 CC for all sizes
NEEDLES: No. 3 and No. 5 **OR SIZE TO GIVE GAUGE**
Buttons (for back opening)
GAUGE: 6 sts = 1 inch
8 rows = 1 inch

Finished Measurements (in inches)
Lower edge of skirt 40(44-48)
Chest (buttoned) 20(22-24)
Dress is worked in Stockinette Stitch (K 1 row, P 1 row) and them embroidered in duplicate stitch.

SKIRT

BACK: With No. 5 needles, cast on 120(132-144) sts. Beg with a P row, work 7 rows.
Hemline Row: * K 2 tog, yo; rep from *, end yo, K 2. Beg with a P row, work to 7½(8½-9½) inches above hemline, or desired length to waist, end with a P row. Bind off, knitting 2 tog each time.

FRONT: Same as back.

BODICE

FRONT: With No. 5 needle and from right side, pick pick up and K 1 st thru **back** lp of each bound-off st. 60(66-72) sts. Beg with a P row, work to 2(2½-3) inches above waistline, or desired length to underarm.
Armholes: Bind off 2(3-4) at beg of next 2 rows. Dec 1 st each side every 2nd row 3(3-4) times. Work on 50(54-56) sts until armholes measure 2(2½-3) inches, end with a P row.
Neck: K 17(19-20); place 16 center sts on holder; join 2nd ball and K 17(19-20). Working each side with separate yarn, dec 1 st at each neck edge **every** row 4(5-5) times. Work even until armhole measures 3½(4-4½) inches. Bind off remaining 13(14-15) at each side.

BACK - RIGHT SIDE: From right side and as on front, pick up the first 27(30-33) sts, then cast on 6 sts for underlap. **Next Row:** K 6, P to end. Keeping the 6 underlap sts in garter st (K every row), work same as back, shaping armhole at beg of K rows. Continue on 28(30-31) until armhole is same length as front, end with a P row.
Shoulder: Bind off 13(14-15), K to last 6 sts, bind off 6. Place 9(10-10) on holder for back of neck. On underlap, mark places for desired number of buttons, with top marker 3 rows below bound off sts.

LEFT SIDE: Beg with next free bound-off st of skirt at left of completed side, pick up 33(36-39). **Next Row:** P to last 6 sts, K 6 (buttonhole overlap). Work to correspond to right side, working buttonholes opposite markers on K rows as follows: K 2, K 2 tog, yo, K to end. On next row, work yo as a st. Shape armhole at beg of P rows. When armhole is same length as front, ending with a K row, bind off 13(14-15), P to last 6 sts, K 6, do **not** break yarn.
Neckband: With No. 3 needle, K 15(16-16), from right side, along left front shaped neck edge, pick up one st in every row, K 16 center front sts, pick up same number of sts along shaped edge, K sts from back holder. Beg with a P row, work 3 rows. Work eyelet row as on skirt. Beg with a P row, work 3 rows. Bind off with No. 5 needle.

SLEEVES: With No. 3 needles, cast on 44(48-50) sts. Beg with a P row, work 7 rows same as neckband, end with a P row. Change to No. 5 needles. K 1 row, inc 4 sts evenly spaced. Work on 48(52-54) to 2 inches from beg, or desired length.

(Continued on page 31)

Coat and Cap

(Shown at left)

Instructions are for size 1. Changes for sizes 2 and 3 are in parentheses.

MATERIALS - Sport Weight

SPINNERIN Sport (2-oz) 6(6-7) MC and few yards each White (W) and Red (R) for trim

6 large buttons, 2 small buttons; Grosgrain ribbon

NEEDLES: "Boye or Diana" No. 4 and No. 5

OR SIZE TO GIVE GAUGE

Crochet Hook: "Boye or Diana" Size F

GAUGE: 13 sts = 2 inches
8 rows = 1 inch

FINISHED MEASUREMENTS (in inches)
Chest (Buttoned) 24(26-28)
Lower edge (overlapped) 27(29½-32)

PATTERN STITCH - Multiple of 4 sts.
Row 1 (right side): K 1, * yo, K 2, slip the yo over the K 2, K 2; rep from *, end yo, K 2, slip the yo over the K 2, K 1.
Row 2: Purl.
Row 3: K 3, * yo, K 2, slip the yo over the K 2, K 2; rep from * end yo, K 2, slip the yo over the K 2, K 3.
Row 4: Purl.
Rep these 4 rows for pat. Keep continuity when shaping.

BACK: With No. 4 needles cast on 88(92-100) sts. Work in St St (K 1 row, P 1 row) for 5 rows, end with a K row. K next row on wrong side for hemline. Change to No. 5 needles. Work in pat, dec 1 st each side every 20 rows 4 times. Work on 80(84-92) to 10(11-12) inches above hemline, or desired length to underarm.
Armholes: Bind off 6(6-7) at beg of next 2 rows. Dec 1 st each side every 2nd row 6(7-8) times, Work on 56(58-62) until armholes are 4½(5-5½) inches, ending with a P row.
Shoulders and Neck: Bind off 6 sts at beg of next row, work until there are 13(14-15) sts on needle, bind off center 18(18-20) sts, join 2nd ball of yarn, work to end.
Next Row: Bind off 6 sts, P to 2 sts before neck, P 2 tog; with other yarn, P 2 tog at neck, P to end. Working each side with separate yarn, bind off 5(5-6) from each armhole edge once, 5(6-6) once **AND AT SAME TIME** dec 1 st at neck edges **every** row 3 times. Fasten off.

RIGHT FRONT: With No. 4 needles cast on 30(34-38) sts. Work hem and hemline as on back, then cast on 26 sts at end of hemline row. 56(60-64) sts. Change to No. 5 needles. Work in pat, dec at underarm edge (end of right side row) as on back. Work on 52(56-60) sts to same length as back to armhole, end at underarm edge.
Armhole: Bind off 6(6-7) at beg of next row. Dec 1 st at armhole edge every 2nd row 6(7-8) times. Work 40(43-45) until armhole measures 2½(3-3½) inches, end at front edge.
Neck: Work 6 sts, turn. Bind off 2 sts, work to end of row. Dec 1 st at neck inner edge every 2nd row twice. K 2 tog, fasten off. Join yarn on neck edge after the 6 worked sts. Bind off 12(14-15) sts, work to end. Bind off 2 sts from neck edge once. Dec 1 st at neck edge every 2nd row 4 times. Work on 16(17-18) sts to same length as back to shoulder.
Shoulder: Bind off 6 sts from armhole edge once, 5(5-6) once and 5(6-6) once.

LEFT FRONT: Work to correspond to right front, reversing all shaping (underarm edge at **beg** of K rows).

NOTE: Buttonholes are to be machine-made in left front for boy, right front for girls.

(Continued on page 25)

Red Coat and Beret

Instructions are for size 1. Changes for sizes 2 and 3 are in parentheses.

MATERIALS - Sport Weight

SPINNERIN Sport (2-oz) 4 (5-5) balls

3 medium and 2 small buttons

CROCHET HOOK: "Boye or Diana" Size G

OR SIZE TO GIVE GAUGE

GAUGE: 4 hdc = 1 inch
3 rows = 1 inch

FINISHED MEASUREMENTS (in inches)
Lower edge 32(34-36)
Chest (buttoned) 24(26-28)

NOTE: Coat and Beret are worked in hdc. The ch 2 at beg of rows does **not** count as a st.
To Dec 1 hdc: Yo, draw up a lp in st, draw up a lp in next st, yo and thru 4 lps on hook.

COAT

BACK: Chain 66(70-74) to measure 16½(17½-18½) inches.
Foundation Row (right side): Hdc in 3rd ch from hook and in each ch to end. 64(68-72) hdc. Ch 2, turn at end of every row. Work 2 rows of 1 hdc in each st. Dec 1 st each side of next row and rep decs every 4th row 4 times more, then every 2(2-4) rows 3 times. Work on 48(52-56) sts to 10(11-12) inches from beg, or desired length to underarm. Ch 1, turn at end of last row.
Armholes: Sl st in each of 3(3-4) sts, dec 1 st over next 2 sts, hdc in each st to last 5(5-6) sts, dec 1 st, leave 3(3-4) sts unworked. Ch 2, turn. Dec 1 st each side of next 2(3-3) rows. Work on 36(38-40) sts until armholes measure 4(4½-5) inches. Ch 1, turn.
Shoulders and Neck Row 1: Sl st in each of 4(4-5) sts, hdc in next 4(5-5) sts, dec 1 st. Ch 2, turn.
Row 2: Dec 1 st, sl st in each of 3(4-5) sts. Fasten off. Sk center 16 sts, join yarn in next st, ch 2 and work 2nd side to correspond to first side. There are 8(9-10) sts for each shoulder.

LEFT FRONT: Chain 38(40-42) to measure 9½(10-10½) inches. Work first 3 rows as on back. Dec 1 st at **end** (underarm edge) of next row and rep dec at same edge every row 4 times more, every 2(2-4) rows 3 times. Work on 28(30-32) sts to same length as back to armhole, end at underarm edge. Ch 1, turn.
Armhole: Shape as on right back armhole. Work on 22(23-24) sts until 5 rows less on front armhole than on back armhole, end at front edge.
Neck: Sl st in each of 10 sts, dec 1 st, work to end. Dec 1 st at neck edge on next 3 rows. Work 1 row on 8(9-10) sts.
Shoulder: Shape to correspond to right back shoulder.

RIGHT FRONT: Work to correspond to left front, reversing all shaping.

SLEEVES: Chain 28(30-32) to measure 7(7½-8) inches. Work foundation row as on back. 26(28-30) hdc. Work pat for 3 rows more, place marker to indicate cuff. Work 4 rows more.
Inc Row: 2 hdc in first st (1 st inc), hdc in each st to last st, 2 hdc in last st (1 st inc). Continue pat, inc 1 st each side every 4 rows 3 times more. Work on 34(36-38) sts to 8(9-10) inches above cuff marker, or desired length to underarm.
Shape Cap - Row 1: Same as Row 1 of back armholes. Dec 1 st each side every row until 10 sts remain. Fasten off.

(Continued on page 25)



Apple stem - kelly ch st.
2 apple leaves - kelly lazy daisy.
Balloon strings - royal ch st. Tie bow in royal.
Cat - orange ch st tail, brown french knot eyes, brown straight st whiskers.



Eye - red satin st.
Mane - 2 rows of 5-inch fringe across top of head and down back of neck to 2 rows before back.
Tail - 6 5-inch lengths, fringed as tassel.



Snake - brown french knot for eye, brown ch st for tongue.
Butterfly - brown ch st for feelers, kelly cross st on aqua wings.

Bird - eyes, beak and feet in brown ch st. Tail brown straight st.
Turtle - Tail in brown ch st, eye in yellow satin st.



Eyes for Sun, brown satin st. Mouth brown ch st. Rays ch st.
Eye for Moon, brown stem st. line to star, brown ch st.



Eye - yellow ch st.
Tail - with 4 strands brown, ch 5 inches, leave 1-inch tassel.
Ear - brown, worked same as for hippo.



Fisherman Slipon

Instructions are for size 1. Changes for sizes 2 and 3 are in parentheses.
MATERIALS - Sport Weight
SPINNERIN Sport (2-oz) 3(3-4)
NEEDLES: "Boye or Diana" No. 4 and No. 6
OR SIZE TO GIVE GAUGE and 1 set dp No. 4
GAUGE: 7 sts = 1 inch
9 rows = 1 inch

FINISHED MEASUREMENTS (in inches)
Chest 20(22-24)

PATTERN 1 - Worked on 14 sts.
Row 1 (right side): P 3, sl next 2 sts to dp needle and hold at **back** of work, K next 2 sts, K 2 from dp; sl next 2 sts to dp needle and hold at **front,** K next 2 sts, K 2 from dp, P 3.
Rows 2 and 4: K 3, P 8, K 3.
Rows 3 and 5: P 3, K 8, P 3.
Row 6: K 3, P 8, K 3. Rep these 6 rows for Pat 1.

PATTERN 2 - Worked on 11 sts.
Row 1 (right side): K 2, P 3; in next st K 1, P 1, K 1, P 1, turn. On these 4 sts only, P 1 row, K 1 row, P 1 row, turn, K 4 tog (popcorn); P 3, K 2.
Rows 2 and 4: P 2, K 7, P 2.
Rows 3 and 5: K 2, P 7, K 2.
Row 6: P 2, K 7, P 2. Rep these 6 rows for Pat 2.

PATTERN 3 - Worked on 14 sts.
Row 1 (right side): P 3, sl next 2 sts to dp needle and hold at **back** of work, K next 2 sts, P 2 from dp; sl next 2 sts to dp needle, and hold at **front,** P next 2 sts, K 2 from dp, P 3.
Row 2 and All Even Numbered Rows: K the knit sts and P the purl sts.
Rows 3 and 5: P 3, K 2, P 4, K 2, P 3.
Row 7: P 3, K 2, P 1; (in each of next 2 sts K 1, P 1) twice, turn, working on last 4 sts only, P 1 row, K 1 row, P 1 row, turn, K 4 tog but leave on left needle, K same 4 sts tog thru back lps and drop from left needle (bobble); P 1, K 2, P 3.
Rows 8 thru 11: Rep Rows 2 and 3.
Row 12: Rep Row 2.
Row 13: P 3, sl next 2 sts to dp needle, hold at **front,** K next 2 sts, K 2 from dp, sl next 2 sts to dp needle, hold at **back,** K next 2 sts, K 2 from dp, P 3.
Rows 14 and 16: K 3, P 8, K 3.
Rows 15 and 17: P 3, K 8, P 3.
Row 18: Rep Row 16. Rep these 18 rows for Pat 3.

SLIPON

BACK: With No. 4 needles cast on 70(78-84) sts. Rib in K 1, P 1 for 13 rows. P 1 row. Change to No. 6 needles.
Row 1: K 3(7-10), work first row of Pat 1 over 14 sts, Pat 2 over 11 sts; Pat 3 over 14 sts; Pat 2 over 11 sts; Pat 1 over 14 sts; K 3(7-10).
Row 2: P 3(7-10), work Row 2 of Pat 1 over 14 sts, Pat 2 over 11 sts, Pat 3 over 14 sts, Pat 2 over 11 sts, Pat 1 over 14 sts, P 3(7-10). Keeping 3(7-10) sts at each side in St St and remaining sts in pats as established, work to 6(7-8) inches from beg, or desired length to underarm.
Armholes: Bind off 3(4-4) at beg of next 2 rows. Dec 1 st each side every 2nd row 2(4-6) times. Work on 60(62-64) until armholes are 3½(4-4½) inches.
Shoulders: Bind off 15(16-17) at beg of next 2 rows. Place 30 sts on holder.

FRONT: Work same as back until armholes are 2(2½-3) inches.
Neck: Work 20(21-22), place center 20 sts on holder, join 2nd ball, work to end. Working each side with separate yarn, dec 1 st at neck edges **every** row 5 times. Work on 15(16-17) to same length as back to shoulder and bind off.

SLEEVES: With No. 4 needles cast on 42(44-46) sts. Rib in K 1, P 1 for 13 rows. P 1 row inc 6(6-8) sts evenly spaced. 48(50-54) sts. Change to No. 6 needles.
Row 1 (right side): K 1(2-4); work Row 1 of Pat 1 over 14 sts; K 2; Pat 3 over 14 sts; K 2; Pat 1 over 14 sts, K 1(2-4). Keeping Pats as established and sts at ends and between Pats in St St, inc 1 st each side every 6 rows 4(5-5) times. Work on 56(60-64) to 8(9-10) inches from beg, or desired length to underarm.
Shape Cap: Bind off 3(4-4) at beg of next 2 rows. Dec 1 st each side every 2nd row 3(6-8) times, **every** row 12(10-10) times. Bind off 20 sts.

FINISHING: Assemble and weave in ends.
Neckband: From right side with dp needles, pick up 1 st in each st and row around neck edge. Join and work around in K 1, P 1 rib for 13 rows. With No. 6 needle bind off as to knit. Turn to wrong side and sew bound-off row to neck edge.

WHITE DRESS *(Continued from page 27)*

Shape Cap: Bind off 2(3-4) at beg of next 2 rows. Work on 44(46-46) until cap measures 2½(2½-3) inches, end with a K row. **Dec Row:** * P 3 tog; rep from *, end K 2 tog (1-0). Bind off 15(16-16).

FINISHING: Assemble. Turn neckband along eyelet row to wrong side and sew to picked up row. Turn hems at sleeve and lower edge and sew. Mark center front and back of skirt, center front of bodice. Using CC and duplicate stitch, follow chart for embroidered bands on skirt and bodice. Sew on buttons.

■ = Red
□ = White



Fisherman Cardigan I (Shown right)

Instructions are for size 1. Changes for size 2 and size 3 are in parentheses

MATERIALS - Knitting Worsted Weight

SPINNERIN Irish Fisherman Yarn or 4 Ply Deluxe or Marvel Twist Deluxe Knitting Worsted or Companion/Spinloft (4-oz) 2(2-3)

NEEDLES: Boye or Diana" No. 6 and No. 8
OR SIZE TO GIVE GAUGE
Buttons
GAUGE: 6 sts = 1 inch
6 rows = 1 inch

FINISHED MEASUREMENTS (in inches)
Chest (buttoned) 22(23½-26)

PATTERN 1 - Worked on 3(5-9) sts.
Row 1 (right side): K 1, (P 1, K 1) 1(2-4) times.
Row 2: P 1, (K 1, P 1) 1(2-4) times.
Row 3: Rep Row 2.
Row 4: Rep Row 1. Rep these 4 rows for Pat 1.

PATTERN 2 - Worked on 10 sts.
Row 1 (right side): P 2, K 6, P 2.
Row 2: K 2, P 6, K 2.
Row 3 thru 6: Rep Rows 1 and 2 twice.
Row 7: P 2, sl next 3 sts to dp needle, hold at **front** of work, K next 3 sts, K 3 from dp, P 2.
Row 8: K 2, P 6, K 2. Rep these 8 rows for Pat 2.

PATTERN 3 - Worked on 9 sts.
Row 1 (right side): With yarn at **back** sl 1 as to P, K 2, psso the K 2, K 3, sl 1, K 2, psso the K 2. 7 sts.
Row 2: P 1, yo, P 5, yo, P 1. 9 sts.
Row 3: K 3, sl 1, K 2, psso the K 2, K 3.
Row 4: P 4, yo, P 4. Rep these 4 rows for Pat 3.

PATTERN 4 - Worked on 20 sts.
Row 1 (right side): P 2, * sk next st, K next st thru **front** lp, leave on left needle, K sk st and slide both sts from left needle (front twist), sk next st, K next st thru **back** lp, leave on left needle, K sk st and drop both sts from left needle (back twist); rep from * 3 times, P 2.
Row 2: K 2, P 16, K 2.
Row 3: P 2, * back twist, front twist; rep from * 3 times, P 2.
Row 4: K 2, P 16, K 2. Rep these 4 rows for Pat 4.

CARDIGAN

BACK: With No. 6 needles cast on 64(68-76) sts. Rib in K 1, P 1 for 5 rows. P 1 row. Change to No. 8 needles.
Row 1: Work first row of Pat 1 over 3(5-9) sts; Pat 2 over 10 sts; Pat 3 over 9 sts; Pat 4 over 20 sts; Pat 3 over 9 sts; Pat 2 over 10 sts; Pat 1 over 3(5-9) sts.
Row 2: Work Row 2 of each pat over corresponding sts of Row 1. Keeping pats as established, work to 6½(7½-8½) inches from beg, or desired length to underarm.
Armholes: Keeping continuity of pats, bind off 2(3-4) at beg of next 2 rows. Dec 1 st each side every 2nd row 3(3-5) times. Work on 54(56-58) until armholes are 4(4½-5) inches.
Shoulders: Bind off 13(14-15) at beg of next 2 rows. Place 28 sts on holder.

LEFT FRONT: With No. 6 needles cast on 37(39-43) sts. Rib in K 1, P 1 for 5 rows.

(Continued on page 24)

Fisherman Cardigan II (Shown left)

Instructions are for Size 1. Changes for Sizes 2 and 3 are in parentheses
MATERIALS - Sport Yarn weight
SPINNERIN Sport (2-oz.) 3 balls for all sizes
Buttons
NEEDLES: "Boye or Diana" No. 3 and No. 5
OR SIZE TO GIVE GAUGE 1 cable or double pointed needle
GAUGE: Stockinette St 6 sts = inch
8 rows = 1 inch

Pattern St: Front Panel 3½ inches, Back Panel 7 inches

FINISHED MEASUREMENTS (in inches)
Chest (buttoned) 21(23-25)

STITCHES

RIGHT TWIST (RT): Sk P st, K next st (keeping right needle on top of left needle and leave on needle), P the sk st, sliding both sts to right needle.

LEFT TWIST (LT): Sk K st, P next st thru back (insert needle left to right) and leave on needle, K the sk st, sliding both sts to right needle.

9 ST CABLE (C9): Sl next 3 sts on dp and hold at back, K next 3 sts, bring dp needle to front, K next 3 sts from left needle, K 3 sts from dp.

PATTERN 1: Worked on 15 sts.
Row 1: K 2; P 4, K 3, P 4; K 2.
Row 2: K 1, P 1; K 4, P 3, K 4; P 1, K 1.
Row 3: K 2; P 3, **RT,** K 1, **LT,** P 3; K 2.
Row 4: K 1, P 1; K 3, P 1, (K 1, P 1) twice, K 3; P 1, K 1.
Row 5: K 2; P 2, **RT,** P 1, K 1, P 1, **LT,** P 2; K 2.
Row 6: K 1, P 1; K 2, (P 1, K 2) 3 times; P 1, K 1.
Row 7: K 2; P 1, **RT,** P 2, K 1, P 2, **LT,** P 1; K 2.
Row 8: K 1, P 1; K 1, P 1, K 3, P 1, K 3, P 1, K 1; P 1, K 1.
Row 9: K 2; **RT,** P 3, K 1, P 3, **LT;** K 2.
Row 10: K 1, P 1; P 1, K 4, P 1, K 4, P 1; P 1, K 1.
Rep these 10 row for pattern.

PATTERN 2: Worked on 29 sts on back, 15 sts on fronts.
Row 1: K 1, (P 2, K 9, P 2, K 1) twice.
Row 2 and All Wrong Side Rows: Knit the K sts and Purl the P sts.
Rows 3 and 4: Rep Rows 1 and 2.
Row 5: K 1, (P 2, **C9,** P 2, K 1) twice.
Row 6: Same as Row 2.
Row 7 thru 10: Rep Rows 1 and 2.
Rep these 10 rows for pattern.

NOTE: Pat 2 is easier to establish, with less reference to the instructions. To make it easier for you, remember that the 9 st Cable Twist is **always** worked on the same row as Row 5 of Pat 1.

BACK: With No. 5 needles, cast on 71(77-83) sts. Rib 2 inches in K 1, P 1.
Row 1: K 6(9-12); work Row 1 of Pat 1 over next 15 sts; Row 1 of Pat 2 over next 29 sts; Row 1 of Pat 1 over next 15 sts; K 6(9-12).
Row 2: P 6(9-12); work Row 2 of Pat 1 over next 15; Row 2 of Pat 2 over next 29; Row 2 of Pat 1 over next 15; P 6(9-12).
Continue pats as established to 10(11-12) inches from beg, or desired length to underarm, end with wrong side row.

(Continued on page 24)

Zoo Afghan

(Shown on back cover)

Approximate size 44 x 63 inches (including border)

MATERIALS: SPINNERIN 4 Ply Deluxe or Marvel Twist Deluxe (4-oz) 10 skeins White (MC) and 1 each Red, Kelly, Royal Blue, Aqua, Yellow, Orange and Brown.
AFGHAN HOOK: "Boye or Diana" Size F
OR SIZE TO GIVE GAUGE
Crochet Hook: "Boye or Diana" Size F
GAUGE: 5 sts = 1 inch
4 rows = 1 inch

BASIC AFGHAN STITCH: Work a chain of specified length.
Row 1 - First Half: Skip first chain from hook.* Insert hook thru top loop only of next chain. Yarn over hook, draw yarn thru chain, forming loop on hook. Retain loop on hook. Rep from * across chain. There will be the same number of loops on hook as number of chains.
Row 1 - Second Half: Yarn over hook and draw thru first loop, * yarn over and draw thru 2 loops. Rep from * across row until there is 1 loop on hook. This loop is first st for next row.
Row 2 - First Half: Insert hook in 2nd upright st or vertical bar, yarn over hook, draw loop thru bar, forming loop on hook. Retain loop on hook. Continue drawing up a loop thru each bar across row.
Row 2 - Second Half: Same as 2nd half of Row 1.
Rep Row 2 for pattern.
TO BIND OFF: Slip st across row as follows: *Draw up loop in bar and thru loop on hook. Rep from * across. Break yarn and draw thru last loop.

AFGHAN STITCH WITH WORKED-IN PATTERNS: Afghan is worked in one piece, following chart. The stitch used is basic afghan stitch, changing colors according to chart.

TO FOLLOW CHART: On all rows, read chart from right to left. Remember that both halves of 1 row afghan st = 1 row on chart.
JOINING COLORS: On first half of row pick up the designated number of loops of first color shown on chart, join next color, pick up specified number of loops in this color, etc. When the same color appears with no more than 3 stitches of another color between, the first ball may be carried across - but **never more than 3 sts.** Join new balls of same color if necessary.
On 2nd half of row, work off loops with matching color until there is one st left of the color, then change colors, picking up yarn to be used under color previously used, thus twisting colors to prevent hole in work. New color will be drawn thru 1 loop of previous color and 1 loop of new color.
When a color is no longer needed, break off leaving an end long enough to be woven in on the wrong side.

AFGHAN

LARGE BLOCK: With afghan hook, ch 80 to measure approx 16 inches. Work in basic afghan st, working in design from chart. (Charts are on page 17, 22, 30). Complete 60 rows of chart. Bind off.
NARROW BLOCK: With afghan hook, ch 45 to measure approx 9 inches. Work in same manner as large block, following 60 chart rows. Bind off.
FINISHING: Add details, as explained with each chart. Using photograph as guide, assemble blocks in the 3 vertical strips. Hold with wrong sides tog and with crochet hook and MC, sc tog. Then join the strips tog in same way.
BORDER: From right side, with MC and hook, work sc around entire afghan, working 3 sc in each corner. Join with sl st to first sc, ch 1, do not turn. Work 5 more rnds in sc, always working 3 sc in corners. Fasten off.

HOW TO MAKE A POMPON

Step 1 — Cut 2 cardboard circles 1½ inch diameter for small; 2 inches diameter for medium and 3 inches for large pompon. Cut hole in middle of circles. Cut strands of yarn 6 yds long.

Step 2 — Thread cut ends into blunt tapestry needle. Place circles tog. Draw needle thru center over circles, and thru loop formed by fold. Continue to wrap yarn over circles until yarn fills center hole and circles are completely covered.

Step 3 — With sharp scissors cut between circles at outside edge.

Step 4 — Wind 2 strands yarn about 8 inches long between circles, tie securely.

Step 5 — Remove circles. Attach pompons with yarn used for tying. Trim pompon evenly.



Step 1



Step 2



Step 3



Step 4

Don't miss our other Spinnerin books. . .

SPINNOVATIONS 1 - A decorator collection of home furnishings to compliment and enhance your home decor. With a little help from SPINNERIN, bring your ideas for that afghan, bedspread or tablecloth to life.
$2.00


SPINNOVATIONS 1
Home Decor Idea Book
Knit, Crochet, Afghan Stitch
A decorator collection of home furnishings, tablecloths, place settings, bedspreads and afghans.
Elegantly styled by Spinnerin


SPINNOVATIONS 2
42 Great Sweaters and Jackets for Men and Women
Classics and newest fashions to knit and crochet with exciting new yarns by Spinnerin

SPINNOVATIONS 2 - 42 great sweaters to knit and crochet including exciting new fashion looks. The different styles will help to warm up your winter outdoor fun or other classic styles to make for the fireside.
$2.00

SPINNOVATIONS 4
Classic Raglans for Men & Women, Small to Extra Large Sizes
Instructions and suggestions on how you can "custom style" the basic raglan from the neck down in 4 different weights of yarns by...
Spinnerin

SPINNOVATIONS 4 - Your complete book of raglan sweaters. Instructions written in 4 weights of yarn for women and large women, men and large men. Patterns for raglans worked from the neck-down in round and V-neck cardigans and slipons.
$2.00

Check These And Many Other Of Our Books At Your Local Spinnerin Dealer.

Spinnerin

The
New
Wee Moderns
INFANTS AND TODDLERS

SPINNERIN YARN

Volume 232
Price $1.50